

Research Driven, Proven Results®



SPECIALTY FERTILIZERS FOR GOLF AND SPORTS TURF

RESEARCH DRIVEN, PROVEN RESULTS

For over 25 years, GRIGG has been an innovator in turfgrass nutrition, product development and research.

The high quality, science-based products are supported by years of university and independent field testing. GRIGG products are used by many of the world's most prestigious golf courses and sports fields, including the Rose Bowl Stadium®.



BRANDT® is the official fertilizer partner of the Rose Bowl Stadium

Our History

GRIGG was founded in 1995 by Mark and Gary Grigg, who were early pioneers in turf nutrition product innovation. In 2014, GRIGG was purchased by BRANDT – a leading global manufacturer of nutrition, adjuvants and sustainable solutions for the ag, turf and ornamental, and lawn and garden markets. The company currently sells its turf and ornamental products under the BRANDT, BRANDT iHammer and GRIGG brands.

BRANDT operates seven state-of-the art manufacturing facilities and a 500 acre research farm. The Discovery and Innovation team is the lifeblood of the company – dedicated to developing new specialty products that help customers achieve better results. BRANDT currently serves customers in over 70 countries.

For more info, visit brandt.co and grigg.co




TABLE OF CONTENTS

	2
JUST ADDED GRIGG Advantage® 5-0-1	. 3
GRIGG A-O-K® 2-0-24	. 4
GRIGG Carboplex® 6-4-4	. 5
GRIGG Fairphyte® 1-0-25	. 6
GRIGG Gary's Green® 18-3-4	. 7
GRIGG Gary's Green Ultra® 14-2-3	. 8
GRIGG Iron Combo™ 1-0-2	. 9
GRIGG Kelplex™ 1-2-2	.10
GRIGG Magnesium Complex	. 11
GRIGG Manganese Combo	.12
JUST ADDED GRIGG MegAleX® 3-0-0	.13
GRIGG Micro Burst™ 0-0-1	
GRIGG Nutra Green™ 5-10-5	.15
GRIGG P-K Plus® 3-5-17	
GRIGG Sili-Kal-B™ 8-0-4	
GRIGG Suprema® 12-0-12	
GRIGG Tuff Turf® 1-0-14	
GRIGG Turftopia® 5-0-5	
GRIGG Ultraplex® 4-0-3	
JUST ADDED GRIGG Upplause® Plus 10-0-0	22
GreenSpec® Granular Nutrients 2	24
GRIGG 10-2-4	
GRIGG 19-2-19	26
GRIGG 19-2-19	
GRIGG CK-Balance™ 0-0-24	27
	27 28
GRIGG CK-Balance™ 0-0-24	27 28 29
GRIGG CK-Balance™ 0-0-24. GRIGG Endurance™ 8-4-16. GRIGG Low Phos™ 7-0.5-14.	27 28 29 30
GRIGG CK-Balance™ 0-0-24. GRIGG Endurance™ 8-4-16. GRIGG Low Phos™ 7-0.5-14. GRIGG Seven Iron™ 7-7-7 GRIGG Turf Rally™ 16-4-8.	27 28 29 30 .31
GRIGG CK-Balance™ 0-0-24. GRIGG Endurance™ 8-4-16. GRIGG Low Phos™ 7-0.5-14. GRIGG Seven Iron™ 7-7-7 GRIGG Turf Rally™ 16-4-8. Specialty Soil Amendments. 3	27 28 29 30 .31
GRIGG CK-Balance™ 0-0-24. GRIGG Endurance™ 8-4-16. GRIGG Low Phos™ 7-0.5-14. GRIGG Seven Iron™ 7-7-7 GRIGG Turf Rally™ 16-4-8.	27 28 29 30 .31
GRIGG CK-Balance™ 0-0-24. GRIGG Endurance™ 8-4-16. GRIGG Low Phos™ 7-0.5-14. GRIGG Seven Iron™ 7-7-7 GRIGG Turf Rally™ 16-4-8. Specialty Soil Amendments. 3	27 28 29 30 .31 32
GRIGG CK-Balance™ 0-0-24. GRIGG Endurance™ 8-4-16. GRIGG Low Phos™ 7-0.5-14. GRIGG Seven Iron™ 7-7-7 GRIGG Turf Rally™ 16-4-8. Specialty Soil Amendments. 3 GRIGG Rhizo Aide 1-0-0. Specialty Soil Fertilizers. 3	27 28 29 30 .31 32 33
GRIGG CK-Balance™ 0-0-24. GRIGG Endurance™ 8-4-16. GRIGG Low Phos™ 7-0.5-14. GRIGG Seven Iron™ 7-7-7 GRIGG Turf Rally™ 16-4-8. Specialty Soil Amendments	27 28 29 30 .31 32 33 34
GRIGG CK-Balance™ 0-0-24. GRIGG Endurance™ 8-4-16. GRIGG Low Phos™ 7-0.5-14. GRIGG Seven Iron™ 7-7-7 GRIGG Turf Rally™ 16-4-8. Specialty Soil Amendments. 3 GRIGG Rhizo Aide 1-0-0. Specialty Soil Fertilizers. 3 GRIGG Iron 12-0-0. GRIGG Bi Blend™ 10-0-0	27 28 29 30 .31 32 33 4 35 36
GRIGG CK-Balance™ 0-0-24. GRIGG Endurance™ 8-4-16. GRIGG Low Phos™ 7-0.5-14. GRIGG Seven Iron™ 7-7-7 GRIGG Turf Rally™ 16-4-8. Specialty Soil Amendments3 GRIGG Rhizo Aide 1-0-0. Specialty Soil Fertilizers	27 28 29 30 .31 32 33 34 35 36 37
GRIGG CK-Balance™ 0-0-24. GRIGG Endurance™ 8-4-16. GRIGG Low Phos™ 7-0.5-14. GRIGG Seven Iron™ 7-7-7 GRIGG Turf Rally™ 16-4-8. Specialty Soil Amendments. 3 GRIGG Rhizo Aide 1-0-0. Specialty Soil Fertilizers. 3 GRIGG Iron 12-0-0. GRIGG Bi Blend™ 10-0-0 GRIGG Burley Green® 18-2-3 GRIGG Displace® 9-0-0	27 28 29 30 .31 32 33 34 35 36 37 38
GRIGG CK-Balance™ 0-0-24. GRIGG Endurance™ 8-4-16. GRIGG Low Phos™ 7-0.5-14. GRIGG Seven Iron™ 7-7-7 GRIGG Turf Rally™ 16-4-8. Specialty Soil Amendments. 3 GRIGG Rhizo Aide 1-0-0. Specialty Soil Fertilizers. 3 GRIGG Iron 12-0-0. GRIGG Bi Blend™ 10-0-0 GRIGG Burley Green® 18-2-3 GRIGG Displace® 9-0-0 GRIGG Rhizonify™ 6-4-4	27 28 29 30 .31 32 33 4 35 36 37 38 39
GRIGG CK-Balance™ 0-0-24. GRIGG Endurance™ 8-4-16. GRIGG Low Phos™ 7-0.5-14. GRIGG Seven Iron™ 7-7-7 GRIGG Turf Rally™ 16-4-8. Specialty Soil Amendments. 3 GRIGG Rhizo Aide 1-0-0. Specialty Soil Fertilizers. 3 GRIGG Iron 12-0-0. GRIGG Bi Blend™ 10-0-0 GRIGG Burley Green® 18-2-3 GRIGG Displace® 9-0-0 GRIGG Rhizonify™ 6-4-4 Pigments 4	27 28 29 30 .31 32 33 34 35 36 37 38 39
GRIGG CK-Balance™ 0-0-24. GRIGG Endurance™ 8-4-16. GRIGG Low Phos™ 7-0.5-14. GRIGG Seven Iron™ 7-7-7 GRIGG Turf Rally™ 16-4-8. Specialty Soil Amendments. 3 GRIGG Rhizo Aide 1-0-0. Specialty Soil Fertilizers. 3 GRIGG Iron 12-0-0. GRIGG Bi Blend™ 10-0-0 GRIGG Burley Green® 18-2-3 GRIGG Displace® 9-0-0 GRIGG Rhizonify™ 6-4-4 Pigments GRIGG GreenPIG™	27 28 29 30 .31 32 33 34 35 36 37 38 39
GRIGG CK-Balance™ 0-0-24. GRIGG Endurance™ 8-4-16. GRIGG Low Phos™ 7-0.5-14. GRIGG Seven Iron™ 7-7-7 GRIGG Turf Rally™ 16-4-8. Specialty Soil Amendments. 3 GRIGG Rhizo Aide 1-0-0. Specialty Soil Fertilizers. 3 GRIGG Iron 12-0-0. GRIGG Bi Blend™ 10-0-0 GRIGG Burley Green® 18-2-3 GRIGG Displace® 9-0-0 GRIGG Rhizonify™ 6-4-4 Pigments 4	27 28 29 30 .31 32 33 34 35 36 37 38 39
GRIGG CK-Balance™ 0-0-24. GRIGG Endurance™ 8-4-16. GRIGG Low Phos™ 7-0.5-14. GRIGG Seven Iron™ 7-7-7 GRIGG Turf Rally™ 16-4-8. Specialty Soil Amendments. 3 GRIGG Rhizo Aide 1-0-0. Specialty Soil Fertilizers. 3 GRIGG Iron 12-0-0. GRIGG Bi Blend™ 10-0-0 GRIGG Burley Green® 18-2-3 GRIGG Displace® 9-0-0 GRIGG Rhizonify™ 6-4-4 Pigments GRIGG GreenPIG™	27 28 29 30 .31 32 33 34 35 36 37 38 39 .41



PROVEN FOLIAR NUTRIENTS

GRIGG Proven Foliar nutrients are the turfgrass industry's premier line of foliar fertilizers. They supply highly efficient, reliable nutrition and have been rigorously tested in independent and university trials.

- Easy to use, highly compatible formulations
- Nutrients are in the proper ionic form for optimal plant use
- Most formulations contain amino acid complexed nutrients, which are highly efficient and mobile

Benefits of Foliar Feeding

Foliar feeding is one of the most efficient ways to supply nutrition to turfgrass. Depositing nutrients on the leaf surface allows faster nutrient absorption and uptake - allowing quick correction of nutrient deficiencies and better results. Supplying turfgrass with the right nutrients in the right form may also impact plant response to stress. High efficiency nutrition products may also reduce the potential for nutrient leaching.



ADVANTAGE

5-0-1

GRIGG Advantage is a liquid foliar fertilizer that builds vibrant turfgrass for golf courses, sports turf, and ornamentals. This formulation adds vigor to all plants by supplying the right amount of macro and micronutrients needed for optimal growth.



Key Advantages

- Nutrients are stable, readily available for plant uptake
- Majors and micronutrients build plant proteins, which improves plant metabolism, strength and vigor
- Formulation stays suspended in tank mix for even, no fuss applications
- Builds strong root systems and strong standing shoots.
- Low application rate
- Does not contain phosphates
- Compatible with most fertilizers, pesticides and adjuvants

Application and Use

GRIGG Advantage may be used on all turf including greens, tees, fairways, sports turf, home lawns, and other grassy areas. Apply 3-6 fl oz per 1000 sq ft in sufficient water for thorough coverage (typically 2.5 gallons). Apply before stress cycles begin and repeat at least twice a month. Allow at least 6 hours before/after irrigation event for maximum benefits.

Advantage may be applied with many other fertilizers, pesticides and adjuvants. For optimal results, apply every 2 weeks during the growing season. Always perform jar test before use.

Shake well before dispensing.

Guaranteed Analysis

Total Nitrogen (N) 5.00%
1.00% Nitrate nitrogen
4.00% Urea nitrogen
Soluble Potash (K ₂ O)1.00%
Boron (B)
Manganese (Mn)
0.75% Water soluble manganese
Molybdenum (Mo) 0.001%
Zinc (Zn)0.75%
0.75% Water soluble zinc

Derived from potassium nitrate, urea, sodium borate, manganese EDTA, sodium molybdate and zinc EDTA.



A-O-K

2-0-24

GRIGG A-O-K is a 24% soluble potassium that provides an economical source of K for putting greens. It may be used in-season and/or applied to turfgrass during the hardening off process before winter.

Key Advantages

- Contains soluble nutrients for efficient uptake and use
- Improves turfgrass strength and vigor
- Excellent on soil where potassium availability is an issue - typically loam soils and sand-based root zones
- Potassium regulates primary physiological processes that impact turf response to stress and supports cellular processes that impact photosynthesis, water regulation, respiration and protein production

Application and Use

Cool Season Grasses: Apply 3-6 fl oz per 1000 sq ft or 1-2 gal per acre [10-20 L per hectare] as needed every 14 days.

Warm Season Grasses: Apply 2-6 fl oz per 1000 sq ft or 0.75-2 gal per acre [7-20 L per hectare] as needed every 14 days.

Make frequent applications at lower rates, or apply higher rates at times of greater plant demand. Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.

Guaranteed Analysis

Total Nitrogen (N)2.09	6
2.0% Urea nitrogen	
Soluble Potash (K ₂ O)	6

Derived from urea and potassium hydroxide.



CARBOPLEX

6-4-4

GRIGG Carboplex contains three sources of nitrogen, phosphate, potassium, amino acid complexed micronutrients and sea plant extract (*Ascophyllum nodosum*). It helps boost turf strength, vigor and hardiness – making it a great option for winter turfgrass preparation.

Key Advantages

- Contains soluble nutrients for efficient uptake and use
- Nitrogen promotes consistent turfgrass shoot growth
- Phosphorus plays a role in plant metabolic processes that transfer energy throughout the plant
- Potassium regulates primary physiological processes that impact turf response to stress and supports cellular processes that impact photosynthesis, water regulation, respiration and protein production
- Iron plays a key role in chlorophyll production, which improves turf color

Application and Use

Foliar Applications: Apply as needed every 7-14 days.

Tees, Greens: 6-12 fl oz per 1,000 sq ft or 2-4 gal per acre [20-40 L per hectare].

Fairways, Sports Field: 9-12 fl oz per 1,000 sq ft or 3-4 gal per acre [30-40 L per hectare].

Soil Applications: Apply as needed every 7-21 days.

Tees, Greens: 9-12 fl oz per 1,000 sq ft or 3-4 gal per acre [30-40 L per hectare].

Fairways, Sports Fields: 12-15 fl oz per 1,000 sq ft or 4-5 gal per acre [40-50 L per hectare].

Make frequent applications at lower rates, or apply higher rates for greater plant demand. Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.

Guaranteed Analysis

Total Nitrogen (N) 6.00%
0.70% Ammoniacal nitrogen
1.10% Nitrate nitrogen
4.20% Urea nitrogen
Available Phosphate (P ₂ O ₅) 4.00%
Soluble Potash (K ₂ O)4.00%
Iron (Fe) 0.20%
0.20% Water soluble iron
Manganese (Mn)
0.05% Water soluble manganese
Zinc (Zn)
0.05% Water soluble zinc

Derived from monoammonium phosphate, potassium nitrate, urea, iron amino acid complex, manganese amino acid complex, zinc amino acid complex, potassium hydroxide and kelp (*Ascophyllum nodosum*).



This product is not intended for use on food crop sites. This product is not for sale in CA.

FAIRPHYTE

1-0-25

GRIGG Fairphyte is a 25% soluble potassium derived from potassium phosphite. It is designed for golf course fairways and sports turf to provide quality nutrition at a great value.

Key Advantages

- Contains soluble nutrients for efficient uptake and use
- Improves turfgrass strength and vigor
- Potassium regulates primary physiological processes that impact turf response to stress and supports cellular processes that impact photosynthesis, water regulation, respiration and protein production

Application and Use

Cool or Warm Season Grasses: Apply 3-4 fl oz per 1,000 sq ft or 1-1.25 gal per acre [10-13 L per hectare] as needed every 14 days

Make frequent applications at lower rates, or apply higher rates at times of greater plant demand. Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.

Guaranteed Analysis

Total Nitrogen	 	 1.0%
1.0% Urea nitrogen		
Soluble Potash (K ₂ O)	 	 25.0%

Derived from urea and potassium phosphite.



 $^*\mbox{This}$ product is sold as GRIGG Fairphyte 1-27*-25 in California. Visit grigg.co to view the complete label.

GARY'S GREEN

18-3-4

GRIGG Gary's Green is the flagship of GRIGG's Proven Foliar Nutrient line – offering the ultimate in quality, performance and compatibility. It contains three sources of nitrogen, potassium, phosphorus and a micronutrient package. It improves turf color response, density and vigor. It is widely used as a primary source of N for effective 'spoon feeding' in turf nutrition programs.

Key Advantages

- Contains soluble nutrients for efficient uptake and use
- Proprietary formulation provides fast nitrogen uptake;
 N promotes consistent turfgrass shoot growth
- Phosphorus plays a role in plant metabolic processes that transfer energy throughout the plant
- Potassium regulates primary physiological processes that impact turf response to stress and supports cellular processes that impact photosynthesis, water regulation, respiration and protein production
- Recommended for golf and sports turf

Application and Use

Cool Season Grasses: Apply 6-9 fl oz per 1,000 sq ft or 2-3 gal per acre [20-30 L per hectare] as needed every 7-14 days.

Warm Season Grasses: Apply 9-12 fl oz per 1,000 sq ft or 3-4 gal per acre [30-40 L per hectare] as needed every 7-14 days.

Make frequent applications at lower rates, or apply higher rates at times of greater plant demand. Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.

Guaranteed Analysis

Total Nitrogen (N)
2.00% Ammoniacal nitrogen
1.50% Nitrate nitrogen
14.50% Urea nitrogen
Available Phosphate (P ₂ O ₅) 3.00%
Soluble Potash (K ₂ O)4.00%
Magnesium (Mg)
0.50% Water soluble magnesium
Copper (Cu)
0.12% Water soluble copper
Iron (Fe)
1.00% Water soluble iron
Manganese (Mn)
0.10% Water soluble manganese
Zinc (Zn)0.10%
0.10% Water soluble zinc

Derived from urea ammonium nitrate, monoammonium phosphate, urea, potassium citrate, magnesium amino acid complex, copper amino acid complex, iron amino acid complex, manganese amino acid complex and zinc amino acid complex.



GARY'S GREEN ULTRA

14-2-3

This formulation combines two best-selling formulations: GRIGG Gary's Green and GRIGG Ultraplex. It contains three sources of nitrogen, potassium, phosphorus and a micronutrient package. It Improves turf color, density and vigor. It is an important component of most GRIGG foliar nutrition programs.

Also available in a phosphate free version.

Key Advantages

- Contains soluble nutrients for efficient uptake and use
- Proprietary formulation provides fast nitrogen uptake;
 N promotes consistent turfgrass shoot growth
- Phosphorus plays a role in plant metabolic processes that transfer energy throughout the plant
- Potassium regulates primary physiological processes that impact turf response to stress and supports cellular processes that impact photosynthesis, water regulation, respiration and protein production

Application and Use

Cool Season Grasses: Apply 6-12 fl oz per 1,000 sq ft or 2-4 gal per acre [20-40 L per hectare] as needed every 7-14 days.

Warm Season Grasses: Apply 9-15 fl oz per 1,000 sq ft or 3-5 gal per acre [30-50 L per hectare] as needed every 7-14 days.

Make frequent applications at lower rates, or apply higher rates at times of greater plant demand. Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.

This product is not intended for use on food crop sites.

Guaranteed Analysis
Total Nitrogen (N)
1.50% Ammoniacal nitrogen
1.25% Nitrate nitrogen
11.25% Urea nitrogen
Available Phosphate (P_2O_5) 2.00%
Soluble Potash (K ₂ O)
Magnesium (Mg) 0.50%
0.50% Water soluble magnesium
Boron (B) 0.02%
Copper (Cu)
0.12% Water soluble copper
Iron (Fe)
1.40% Water soluble iron
Manganese (Mn)
0.20% Water soluble manganese
Zinc (Zn)
0.20% Water soluble zinc

Derived from urea ammonium nitrate, monoammonium phosphate, potassium nitrate, urea, potassium citrate, magnesium amino acid complex, sodium borate, copper amino acid complex, iron amino acid complex, manganese amino acid complex, zinc amino acid complex and kelp (Ascophyllum nodosum).

ALSO CONTAINS NON-PLANT FOOD INGREDIENT:

0.25% Yucca schidigera



IRON COMBO 1-0-2

1-0-2

GRIGG Iron Combo 1-0-2 is a multi-nutrient formulation that contains nitrogen, potassium, boron and amino acid complexed copper, iron, manganese and zinc. It is an excellent option for improving turf color and correcting micronutrient deficiencies.

Key Advantages

- Contains soluble nutrients for efficient uptake and use
- Iron plays a key role in chlorophyll production, which improves turf color
- Recommended for golf and sports turf

Application and Use

Cool or Warm Season Grasses: Apply 2-6 fl oz per 1000 sq ft or 0.75-2 gal per acre [7-20 L per hectare] as needed every 7-14 days.

Make frequent applications at lower rates, or apply higher rates at times of greater plant demand. Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.

Guaranteed Analysis

Total Nitrogen (N)
1.00% Urea nitrogen
Soluble Potash (K ₂ O)
Boron (B)
Copper (Cu)
0.13% Water soluble copper
Iron (Fe)
4.00% Water soluble iron
Manganese (Mn)
1.00% Water soluble manganese
Zinc (Zn) 0.80%
0.80% Water soluble zinc

Derived from urea, potassium citrate, sodium borate, copper amino acid complex, iron amino acid complex, manganese amino acid complex and zinc amino acid complex.



GRIGG KELPLEX

1-2-2

GRIGG Kelplex is a sophisticated formulation that contains three sources of nitrogen, phosphorus, potassium, amino acid complexed iron and sea plant extract (Ascophyllum nodosum).

Key Advantages

- Contains soluble nutrients for efficient uptake and use
- Phosphorus plays a role in plant metabolic processes that transfer energy throughout the plant
- Potassium regulates primary physiological processes that impact turf response to stress and supports cellular processes that impact photosynthesis, water regulation, respiration and protein production

Application and Use

Foliar Application: Apply 1-3 fl oz per 1,000 sq ft or 0.25-1 gal per acre [4-10 L per hectare] as needed every 7-14 days.

Make frequent applications at lower rates, or apply higher rates at times of greater plant demand. Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.

Guaranteed Analysis

Total Nitrogen (N)1.0%
0.4% Ammoniacal nitrogen
0.1% Nitrate nitrogen
0.5% Urea nitrogen
Available Phosphate (P ₂ O ₅)2.0%
Soluble Potash (K ₂ O)
Iron (Fe) 0.1%
0.1% Water soluble iron

Derived from urea, monoammonium phosphate, potassium nitrate, iron amino acid complex and kelp (*Ascophyllum nodosum*).



MAGNESIUM COMPLEX

Foliar Complex

GRIGG Magnesium Complex contains 5% amino acid complexed magnesium. It is an excellent option for improving turf color and correcting micronutrient deficiencies.

Key Advantages

- Contains soluble nutrients for efficient uptake and use
- Magnesium is integral to molecular structure and plays a key role in chlorophyll production, which improves turf color

Application and Use

Cool Season Grasses: Apply 1-3 fl oz per 1,000 sq ft or 0.25-1 gal per acre [4-10 L per hectare] as needed every 7-14 days.

Warm Season Grasses: Apply 2-4 fl oz per 1,000 sq ft or 0.75-1.25 gal per acre [7-13 L per hectare] as needed every 7-14 days.

Make frequent applications at lower rates, or apply higher rates at times of greater plant demand. Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.

Guaranteed Analysis

Derived from magnesium amino acid complex.



MANGANESE COMBO

Foliar Complex

GRIGG Manganese Combo is an amino acid complexed multi-nutrient formulation that contains 5% manganese and lower amounts of copper, magnesium and zinc. It is an excellent option for improving turf color and correcting micronutrient deficiencies.

Key Advantages

- Contains soluble nutrients for efficient uptake and use
- Manganese plays a key role in plant enzyme functions and photosynthesis

Application and Use

Cool or Warm Season Grasses: Apply 1-3 fl oz per 1,000 sq ft or 0.25-1 gal per acre [4-10 L per hectare] as needed every 7-14 days.

Make frequent applications at lower rates, or apply higher rates at times of greater plant demand. Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.

Guaranteed Analysis

Magnesium (Mg)1.2%	
1.2% Water soluble magnesium	
Copper (Cu)	
0.4% Water soluble copper	
Manganese (Mn)	
5.0% Water soluble manganese	
Zinc (Zn)1.0%	
10% Water soluble zinc	

Derived from magnesium amino acid complex, copper amino acid complex, manganese amino acid complex and zinc amino acid complex.



JUST ADDED

GRIGG MEGALEX

3-0-0

GRIGG MegAleX is a liquid foliar formulation that helps build strong, green, vibrant turf for optimal course playability. It is an excellent tool for improving turf growth and appearance in both sun and low light shade areas.



Key Advantages

- Stable source of nitrogen that resists soil tie up
- Contains no phosphate and stays suspended in tank for even, no fuss applications
- Optimizes turf vibrance and vigor
- Effective in both sun and shade areas
- Compatible with most fertilizers, pesticides and adjuvants

Application and Use

GRIGG MegAleX may be used on turf and ornamentals to help promote rapid greening and robust growth.

Turf (such as athletic fields, greens, tees, and fairways): Apply only to actively growing turf. Use 2.5-3 fl oz per 1,000 sq ft every week OR 4 fl oz per 1,000 sq ft every other week in sufficient water for thorough coverage (typically 2.5 gallons). Initiate spraying prior to seasonal stress cycles. Apply at least twice monthly and allow at least 6 hours before/after irrigation event for maximum benefits.

Ornamental and Horticultural (such as flowering ornamentals, landscaping, evergreens, shrubs, trees, and palms, including those grown in nurseries and greenhouses): Mix 1-2.5 gallons in 100 gallons of water (2.5-6 tbsp per 1 gallon of water) and spray foliage to drip. For best results, apply on a regular schedule every other week.

Guaranteed Analysis

Derived from urea.



MICRO BURST

0 - 0 - 1

GRIGG Micro Burst is a multi-nutrient formulation that contains potassium, boron and amino acid complexed micronutrients. It is an excellent option for improving turf color and correcting micronutrient deficiencies.

Key Advantages

- Contains soluble nutrients for efficient uptake and use
- Iron plays a key role in chlorophyll production, which improves turf color
- Manganese plays a key role in plant enzyme functions and photosynthesis
- Recommended for golf and sports turf

Application and Use

Cool or Warm Season Grasses: Apply 2-4 fl oz per 1,000 sq ft or 0.75-1.25 gal per acre [7-13 L per hectare] as needed every 7-14 days.

Make frequent applications at lower rates, or apply higher rates at times of greater plant demand. Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.

Guaranteed Analysis

Soluble Potash (K ₂ O)
Boron (B)
Copper (Cu)
0.05% Water soluble copper
Iron (Fe)
3.40% Water soluble iron
Manganese (Mn)
2.40% Water soluble manganese
Molybdenum (Mo)
Zinc (Zn)1.00%
1.00% Water soluble zinc

Derived from potassium citrate, sodium borate, copper amino acid complex, iron amino acid complex, manganese amino acid complex, sodium molybdate and zinc amino acid complex.



NUTRA GREEN

5-10-5

GRIGG Nutra Green is a multi-nutrient formulation that contains 10% phosphate, three sources of soluble nitrogen, potassium and a micronutrient package. It improves turf color and vigor. It is recommended for spring green up, overseeding and aeration.

Key Advantages

- Contains soluble nutrients for efficient uptake and use
- Excellent on soils where phosphorus availability is an issue - typically sand-based root zones and calcareous soils
- Phosphorus plays a role in plant metabolic processes that transfer energy throughout the plant
- Potassium regulates primary physiological processes that impact turf response to stress and supports cellular processes that impact photosynthesis, water regulation, respiration and protein production
- May be used on turf, ornamentals or shrubs

Application and Use

Cool Season Grasses: Apply 3-9 fl oz per 1,000 sq ft or 1-3 gal per acre [10-30 L per hectare] as needed every 7-14 days.

Warm Season Grasses: Apply 4-10 fl oz per 1,000 sq ft or 1.25-3.5 gal per acre [13-31.5 L per hectare] as needed every 7-14 days.

Ornamentals: *Trees, Shrubs and Flowers:* Mix 1-2 fl oz per gal of water (128x-64x dilution) and apply topically.

Greenhouse and Landscape: For soil applications, mix 2-4 fl oz per gal of water (64x-32x dilution) and drench into the soil.

Make frequent applications at lower rates, or apply higher rates at times of greater plant demand. Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.

Guaranteed Analysis

Total Nitrogen (N) 5.00%
2.70% Ammoniacal nitrogen
0.80% Nitrate nitrogen
1.50% Urea nitrogen
Available Phosphate (P ₂ O ₅) 10.00%
Soluble Potash (K ₂ O)
Magnesium (Mg)
1.00% Water soluble magnesium
Boron (B)
Copper (Cu)0.10%
0.10% Water soluble copper
Iron (Fe)
1.00% Water soluble iron
Manganese (Mn)
0.50% Water soluble manganese
Zinc (Zn) 0.10%
0.10% Water soluble zinc

Derived from monoammonium phosphate, urea ammonium nitrate, potassium citrate, magnesium amino acid complex, sodium borate, copper amino acid complex, iron amino acid complex, manganese amino acid complex and zinc amino acid complex.



P-K PLUS

3-5-17

GRIGG P-K PLUS is a multi-nutrient formulation that contains 17% potassium, two sources of phosphorus (phosphate and phosphite), two sources of nitrogen and a micronutrient package. It promotes turfgrass color, strength and vigor. It is an excellent option for spring green up and winter turfgrass preparation.

Also available in a phosphate free version.

Key Advantages

- Contains soluble nutrients for efficient uptake and use
- Phosphorus plays a role in plant metabolic processes that transfer energy throughout the plant
- Potassium regulates primary physiological processes that impact turf response to stress and supports cellular processes that impact photosynthesis, water regulation, respiration and protein production

Application and Use

Cool or Warm Season Grasses: Apply 6 fl oz per 1,000 sq ft or 2 gal per acre [20 L per hectare] every 14 days.

Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.

Guaranteed Analysis

Total Nitrogen (N)
0.90% Ammoniacal nitrogen
2.10% Urea nitrogen
Available Phosphate (P_2O_5)
Soluble Potash (K ₂ O)17.00%
Boron (B)
Cobalt (Co) 0.01%
0.01% Water soluble cobalt
Molybdenum (Mo) 0.001%

Derived from monoammonium phosphate, urea, potassium phosphite, sodium borate, cobalt sulfate and sodium molybdate.



This product is sold as GRIGG P-K Plus 3-20-17 in California. Visit grigg.co to view the complete label.

SILI-KAL B

8-0-4

GRIGG Sili-Kal B is a multi-nutrient formulation that contains two sources of soluble nitrogen, potassium, 10% calcium, and boron. It improves turf strength and vigor. It is also an excellent option for turf in sandbased root zones, which tend to be low in available calcium.

Key Advantages

- Contains soluble nutrients for efficient uptake and use
- Calcium is important for cell wall strength
- Potassium regulates primary physical processes that impact turf response to stress and supports cellular processes that impact photosynthesis, water regulation, respiration and protein production
- Contains silicon dioxide (SiO₂); silicon improves plant strength

Application and Use

Cool or Warm Season Grasses: Apply 3-6 fl oz per 1,000 sq ft or 1-2 gal per acre [10-20 L per hectare] as needed every 7-14 days.

Make frequent applications at lower rates, or apply higher rates at times of greater plant demand. Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.

Guaranteed Analysis

Total Nitrogen (N) 8.00%
7.50% Nitrate nitrogen
0.50% Urea nitrogen
Soluble Potash (K ₂ O)4.00%
Calcium (Ca)
10.00% Water soluble calcium
Boron (B)

Derived from potassium nitrate, urea, calcium amino acid complex and sodium borate.

ALSO CONTAINS NON-PLANT FOOD INGREDIENT:

0.015% Silicon Dioxide (SiO₂) derived from sodium silicate.



SUPREMA

12-0-12

GRIGG Suprema is a multi-nutrient formulation that contains 12% nitrogen, 12% potassium and amino acid complexed iron, manganese and zinc. It is an excellent option for zero phosphorus fertilizer programs.

Key Advantages

- Contains soluble nutrients for efficient uptake and use
- Provides an efficient source of nitrogen and potassium at a 1:1 ratio
- Potassium regulates primary physiological processes that impact turf response to stress and supports cellular processes that impact photosynthesis, water regulation, respiration and protein production

Application and Use

Cool Season Grasses: Apply 4-12 fl oz per 1,000 sq ft or 1.25-4 gal per acre [13-40 L per hectare] as needed every 14 days.

Warm Season Grasses: Apply 6-15 fl oz per 1,000 sq ft or 2-5 gal per acre [20-50 L per hectare] as needed every 14 days.

Make frequent applications at lower rates, or apply higher rates at times of greater plant demand. Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.

Guaranteed Analysis

Total Nitrogen (N)12.0%
12.0% Urea nitrogen
Soluble Potash (K ₂ O)12.0%
Iron (Fe)
1.0% Water soluble iron
Manganese (Mn)
0.05% Water soluble manganese
Zinc (Zn)
0.05% Water soluble zinc

Derived from urea, potassium citrate, iron amino acid complex, manganese amino acid complex, zinc amino acid complex.



TUFF TURF

1-0-14

GRIGG Tuff Turf is a multi-nutrient formulation that contains 14% potassium, two forms of nitrogen, amino acid complexed magnesium and iron. It is an excellent tool for improving turf strength, vigor and color.

Key Advantages

- Contains soluble nutrients for efficient uptake and use
- Potassium regulates primary physiological processes that impact turf response to stress and supports cellular processes that impact photosynthesis, water regulation, respiration and protein production
- Magnesium and iron play a key role in chlorophyll production, which improves turf color
- Silicon improves plant strength

Application and Use

Cool or Warm Season Grasses:

Apply 3-6 fl oz per 1,000 sq ft or 1-2 gal per acre [10-20 L per hectare] as needed every 7-14 days.

Make frequent applications at lower rates, or apply higher rates at times of greater plant demand. Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.

Guaranteed Analysis

Total Nitrogen (N)
0.75% Nitrate nitrogen
0.25% Urea nitrogen
Soluble Potash (K ₂ O)14.0%
Magnesium (Mg)
0.5% Water soluble magnesium
Iron (Fe)
0.5% Water soluble iron

Derived from potassium nitrate, urea, potassium citrate, magnesium amino acid complex and iron amino acid complex.

ALSO CONTAINS NON-PLANT FOOD INGREDIENT:

0.015% Silicon Dioxide (SiO₂) derived from sodium silicate.



GRIGG TURFTOPIA

5-0-5

A sophisticated formulation that helps maintain turf resilience, playability and cellular hydration during environmental stress conditions. Recommended for foliar application.

Contains concentrated liquid complexed macro and micro nutrients, osmoprotectants, amino acids, an antioxidant and signaling molecules.

Key Advantages

- Nutrients feed turf and support optimum growth and development. Amino acids provide excellent nutrient uptake efficiency.
- Acts as an osmoprotectant, helping maintain cellular hydration to support turf during water deficits.
- Protects cell structure/membrane to support turf strength.
- Helps reduce oxidative stress. Signaling molecules trigger natural plant defense mechanisms leading to improved turf performance under abiotic stress.

Application and Use

Cool or Warm Season Grasses: Apply 3-6 fl oz per 1,000 sq ft or 1-2 gal per acre [10-20 L per hectare] as needed every 7-14 days.

Make frequent applications at lower rates, or apply higher rates at times of greater plant demand. Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.

This product is not intended for use on food crop sites.

Guaranteed Analysis
Total Nitrogen (N) 5.00%
5.00% Urea nitrogen
Soluble Potash (K ₂ O)
Manganese (Mn)0.20%
0.20% Water soluble manganese
Molybdenum (Mo) 0.003%
Zinc (Zn)
0.20% Water soluble zinc

Derived from urea, potassium citrate, potassium acetate, manganese amino acid complex, sodium molybdate and zinc amino acid complex.



ULTRAPLEX

4-0-3

GRIGG Ultraplex is a proprietary and sophisticated multi-nutrient formulation that contains two sources of nitrogen, potassium, micronutrients, sea plant extract and a wetting agent. It an excellent option for enhancing turf color and vigor.

Key Advantages

- Contains soluble nutrients for efficient uptake and use
- Nitrogen promotes consistent turfgrass shoot growth
- Potassium regulates primary physiological processes that impact turf response to stress and supports cellular processes that impact photosynthesis, water regulation, respiration and protein production
- Non-ionic surfactant (Yucca schidigera) reduces water surface tension to improve foliar application wetting and absorption

Application and Use

Cool or Warm Season Grasses: Apply 3-6 fl oz per 1,000 sq ft or 1-2 gal per acre [10-20 L per hectare] as needed every 7-14 days.

Make frequent applications at lower rates, or apply higher rates at times of greater plant demand. Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.

This product is not intended for use on food crop sites.

Guaranteed Analysis
Total Nitrogen (N) 4.00%
0.50% Nitrate nitrogen
3.50% Urea nitrogen
Soluble Potash (K ₂ O)
Magnesium (Mg)
0.50% Water soluble magnesium
Boron (B) 0.05%
Copper (Cu)
0.05% Water soluble copper
Iron (Fe)
1.95% Water soluble iron
Manganese (Mn)
0.40% Water soluble manganese
Zinc (Zn)
0.40% Water soluble zinc

Derived from potassium nitrate, urea, magnesium amino acid complex, sodium borate, copper amino acid complex, iron amino acid complex, manganese amino acid complex, zinc amino acid complex and kelp (Ascophyllum nodosum).

ALSO CONTAINS NON-PLANT FOOD INGREDIENT:

0.8% Yucca schidigera





UPPLAUSE PLUS

10-0-0

GRIGG Upplause Plus is a 10% liquid nitrogen fertilizer that is an excellent tool for establishing vibrant green, ornamentals and vigorous turfgrass.



Key Advantages

- Stable source of nitrogen that resists soil tie up
- Formulation stays suspended in tank mix for even, no fuss applications
- Optimizes turf vibrance and vigor
- Functions in both sun and shade areas
- Compatible with most fertilizers, pesticides and adjuvants

Application and Use

GRIGG Upplause Plus may be used on all turf including greens, tees, fairways, sports turf, home lawns, ornamentals, and other grassy areas. Mix 3-6 fl oz per 1000 sq ft in sufficient water for thorough coverage Apply before stress cycles begin and repeat at least twice a month. Allow at least 6 hours before/after irrigation event for maximum benefits.

Shake well before dispensing. Always perform jar test before use.

Guaranteed Analysis

Derived from urea, potassium citrate, potassium acetate, manganese amino acid complex, sodium molybdate and zinc amino acid complex.





GREENSPEC GRANULAR NUTRIENTS

GRIGG GreenSpec is the turfgrass industry's premier granular nutrient line. It is designed to complement GRIGG Proven Foliar products in integrated nutrition programs.

- Pure, homogeneous formulations provide soluble, efficient nutrition
- Low dust formulations dissolve easily and have excellent spreading characteristics
- Greens grade prills effectively penetrate dense turfgrass canopies on putting greens
- Perform in a variety of agronomic conditions



10-2-4

10-2-4

GRIGG 10-2-4 is a greens grade fertilizer that contains two sources of nitrogen, phosphate, potassium, secondary nutrients, humic acid and sea plant extract.

Available in greens grade (100-120 SGN)

Key Advantages

- Contains soluble nutrients for efficient uptake and use
- Nitrogen promotes consistent turfgrass shoot growth
- Greens grade prills effectively penetrate dense turfgrass canopies and spreads well
- Low dust formulation dissolves quickly

Application and Use

General Maintenance of Cool and Warm Season Grasses: Apply 5-10 lb per 1,000 sq ft or 218-435 lb per acre [2.5-5 kg per 100 sq m or 244-488 kg per hectare] as needed.

Make frequent applications at lower rates, or apply higher rates at times of greater plant demand. Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.

For suggested spreader settings, visit grigg.co/greenspec-granular/

Guaranteed Analysis

Total Nitrogen (N)
1.1% Water soluble nitrogen
8.9% Water insoluble nitrogen
Available Phosphate (P ₂ O ₅)
Soluble Potash (K ₂ O)
Calcium (Ca)
Sulfur (S)

Derived from feather meal, soybean meal, bone meal, blood meal, sulfate of potash and kelp (*Ascophyllum nodosum*).

ALSO CONTAINS NON-PLANT FOOD INGREDIENTS:

2.5% Humic acids derived from Leonardite



19-2-19

19-2-19

GRIGG 19-2-19 is the newest homogeneous greens grade fertilizer that contains four sources of nitrogen along with 19% potassium, calcium carbonate and ferric oxide. This product can be used all season to maintain turf strength and keep a vibrant color during play.

Key Advantages

- Provides soluble, efficient nutrients
- Nitrogen promotes consistent turfgrass shoot growth
- Potassium regulates primary physiological processes that impact turf response to stress and supports cellular processes that impact photosynthesis, water regulation, respiration and protein production

Application and Use

General Maintenance of Cool and Warm Season Grasses:

Apply 3-6 lb per 1,000 sq ft or 131-261 lb per acre [1.5-3 kg per 100 sq m or 146-292 kg per hectare] as needed.

Make frequent applications at lower rates, or apply higher rates for greater plant demand. Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.

For suggested spreader settings, visit grigg.co/greenspec-granular/

Guaranteed Analysis
Total Nitrogen (N)
0.5% Ammoniacal nitrogen
12.5% Urea nitrogen
3.5% Other water soluble nitrogen*
2.5% Water insoluble nitrogen
Available Phosphate (P ₂ O ₅)
Soluble Potash (K ₂ O)19.0%
Calcium (Ca)
Sulfur (S)
6.7% Combined sulfur
Iron (Fe) 0.6%
0.0% Water soluble iron

Derived from monoammonium phosphate, urea, methylene urea, sulfate of potash, sulfate of potash magnesia, calcium carbonate and ferric oxide.

 $^{^{}st}$ 3.5% Slowly available nitrogen from methylene urea.



CK-BALANCE

0 - 0 - 24

GRIGG CK-Balance is a greens grade micro-granular (70-90 SGN) that contains 24% soluble potash, 18% calcium and 8% sulfur. It is recommended for monthly, in-season use to maintain turf strength and vigor during periods of heavy use.

Key Advantages

- Provides soluble, efficient nutrients
- Small particle size can pass through 200 mesh sieve
- Soluble potassium is derived from sulfate of potash. Potassium regulates primary physiological processes that impact turf response to stress and supports cellular processes that impact photosynthesis, water regulation, respiration and protein production.

Application and Use

General Maintenance of Cool and Warm Season Grasses: Apply 3-6 lb per 1,000 sq ft or 131-261 lb per acre [1.5-3 kg per 100 sq m or 146-292 kg per hectare] as needed.

Make frequent applications at lower rates, or apply higher rates at times of greater plant demand. Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.

Guaranteed Analysis

Soluble Potash (K ₂ O)	
Calcium (Ca)	
Sulfur (S)	6

Derived from sulfate of potash and calcium carbonate.



ENDURANCE

8-4-16

GRIGG Endurance is a greens grade granular (100-120 SGN) that contains three sources of nitrogen, phosphorus, potassium, secondary and micronutrients, sea plant extract and humic acid. It is recommended for in-season use to revitalize turf vigor and color. It is also ideal for fall application to prepare turf for winter.

Key Advantages

- Contains soluble nutrients for efficient uptake and use
- Nitrogen promotes consistent turfgrass shoot growth
- Soluble potassium is derived from sulfate of potash. Potassium regulates primary physiological processes that impact turf response to stress and supports cellular processes that impact photosynthesis, water regulation, respiration and protein production.
- Calcium is important for cell wall strength

Application and Use

General Maintenance of Cool and Warm Season Grasses: Apply 6-10 lb per 1,000 sq ft or 261-435 lb per acre [3-5 kg per 100 sq m or 292-488 kg per hectare] as needed.

Promote Plant Recovery: Use this product to increase turfgrass vigor and recovery from mechanical and/ or environmental stress. Apply 8-10 lb per 1,000 sq ft or 348-435 lb per acre [4-5 kg per 100 sq m or 390-488 kg per hectare] 1-3 days after aeration, spiking, verticutting or other mechanical disruption to promote recuperation and speed time to recovery.

Establishment: As a pre-plant fertilizer, incorporate 10 lb per 1,000 sq ft or 435 lb per acre [5 kg per 100 sq m or 490 kg per hectare] to root-zone mix or soil during seedbed preparation.

Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.

For suggested spreader settings, visit grigg.co/greenspec-granular/

Guaranteed Analysis
Total Nitrogen (N)
2.4% Ammoniacal nitrogen
4.6% Urea nitrogen
1.0% Water insoluble nitrogen
Available Phosphate (P ₂ O ₅)
Soluble Potash (K ₂ O)16.0%
Calcium (Ca)
Sulfur (S)
7.0% Combined sulfur
Iron (Fe)
0.03% Water soluble iron
Manganese (Mn)
0.02% Water soluble manganese
Zinc (Zn)
0.002% Water soluble zinc

Derived from ammonium sulfate, monoammonium phosphate, urea, soybean meal, sulfate of potash, calcium carbonate, iron sucrate, manganese sulfate, manganese sucrate, zinc sucrate and kelp (Ascophyllum nodosum).

ALSO CONTAINS NON-PLANT FOOD INGREDIENTS:

2.5% Humic acids derived from Leonardite



LOW PHOS

7-0.5-14

GRIGG Low Phos is a greens grade granular (100-120 SGN) that contains three sources of nitrogen, potassium, micronutrients, sea plant extract and humic acid. It is a great low phosphorus multi-purpose fertilizer that may be used year-round.

Key Advantages

- Provides soluble, efficient nutrients and delivers nitrogen and potassium in a 1:2 ratio
- Nitrogen promotes consistent turfgrass shoot growth
- Contains ferrous sulfate which supplies quickly available iron, and iron sucrate provides a slow release form of iron. Iron plays a key role in chlorophyll production, which improves turf color.
- Soluble potassium is derived from pure sulfate of potash. Potassium regulates primary physiological processes that impact turf response to stress and supports cellular processes that impact photosynthesis, water regulation, respiration and protein production.

Application and Use

General Maintenance of Cool and Warm Season Grasses: Apply 7-10 lb per 1,000 sq ft or 305-435 lb per acre [3.5-5 kg per 100 sq m or 342-488 kg per hectare] as needed.

Make frequent applications at lower rates, or apply higher rates at times of greater plant demand.

Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.

This product is not intended for use on food crop sites

For suggested spreader settings, visit grigg.co/greenspec-granular/

Guaranteed Analysis

Total Nitrogen (N)
Total Nitrogen (N)
1.4% Ammoniacal nitrogen
4.6% Urea nitrogen
1.0% Water insoluble nitrogen
Total Phosphate (P ₂ O ₅)
Soluble Potash (K ₂ O)14.0%
Calcium (Ca)
Sulfur (S)
7.0% Combined sulfur
Iron (Fe)
0.05% Water soluble iron
Manganese (Mn)
0.06% Water soluble manganese
Zinc (Zn)
0.004% Water soluble zinc

Derived from ammonium sulfate, urea, soybean meal, sulfate of potash, calcium carbonate, ferrous sulfate, iron sucrate, manganese sulfate, manganese sucrate, zinc sucrate and kelp (*Ascophyllum nodosum*).

ALSO CONTAINS NON-PLANT FOOD INGREDIENTS:

2.5% Humic acids derived from Leonardite



SEVEN IRON

7-7-7

GRIGG Seven Iron is the flagship product of the GRIGG Green Spec granular nutrient line. It provides three sources of nitrogen, phosphorus, potassium, secondary and micronutrients, sea plant extract and humic acid. It corrects nutrient deficiencies and maintains turf color. It is recommended for pre-plant or starter applications during turf establishment.

Available in greens grade (100-120 SGN).

Key Advantages

- Contains soluble nutrients for efficient uptake and use at a 1:1:1 ratio of NPK
- Contains ferrous sulfate which supplies quickly available iron. Iron plays a key role in chlorophyll production, which improves turf color.
- Nitrogen promotes consistent turfgrass shoot growth
- Phosphorus plays a role in plant metabolic processes that transfer energy throughout the plant
- Soluble potassium is derived from sulfate of potash. Potassium regulates primary physiological processes that impact turf response to stress and supports cellular processes that impact photosynthesis, water regulation, respiration and protein production.

Application and Use

General Maintenance of Cool and Warm Season Grasses: Apply 7-14 lb per 1,000 sq ft or 305-610 lb per acre [3.5-7 kg per 100 sq m or 342-684 kg per hectare] as needed.

Promote Plant Recovery: Use this product to increase turfgrass vigor and recovery from mechanical and/or environmental stress. Apply 8 lb per 1,000 sq ft or 350 lb per acre [4 kg per 100 sq m or 390 kg per hectare] 1-3 days after aeration, spiking, verticutting or other mechanical disruption to promote recuperation and speed time to recovery.

Guaranteed Analysis
Total Nitrogen (N)
1.4% Ammoniacal nitrogen
4.6% Urea nitrogen
1.0% Water insoluble nitrogen
Available Phosphate (P ₂ O ₅)
Soluble Potash (K ₂ O)7.0%
Calcium (Ca)
Sulfur (S)
7.0% Combined sulfur
Iron (Fe)
2.3% Water soluble iron
Manganese (Mn)
1.3% Water soluble manganese
Zinc (Zn)
0.05% Water soluble zinc

Derived from monoammonium phosphate, urea, soybean meal, sulfate of potash, gypsum, ferrous sulfate, iron sucrate, manganese sulfate, manganese sucrate, zinc sucrate and kelp (Ascophyllum nodosum).

ALSO CONTAINS NON-PLANT FOOD INGREDIENTS:

2.5% Humic acids derived from Leonardite

Establishment: As a pre-plant fertilizer, incorporate 14 lb per 1,000 sq ft or 610 lb per acre [7 kg per 100 sq m or 684 kg per hectare] to root-zone mix or soil during seedbed preparation. To increase establishment vigor, uniformity and color during over/interseeding of existing turfgrass swards, apply 10 lb per 1,000 sq ft or 435 lb per acre [5 kg per 100 sq m or 488 kg per hectare] every 4-6 weeks.

Make frequent applications at lower rates, or apply higher rates at times of greater plant demand. Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.

For suggested spreader settings, visit grigg.co/greenspec-granular/

TURF RALLY

16-4-8

GRIGG Turf Rally contains four sources of nitrogen, phosphorus, potassium, secondary and micronutrients, sea plant extract and humic acid. It helps correct nutrient deficiencies and provides turf color.

Available in greens grade (100-120 SGN).

Key Advantages

- Contains soluble nutrients for efficient uptake and use
- Nitrogen provides even feeding and promotes consistent turfgrass shoot growth
- Contains iron sucrate. Iron plays a key role in chlorophyll production, which improves turf color.

Application and Use

General Maintenance of Cool and Warm Season Grasses: Apply 3-6 lb per 1,000 sq ft or 174-261 lb per acre [2-3 kg per 100 sq m or 195-292 kg per hectare] as needed.

This product will increase turfgrass uniformity, vigor and color after establishment or for existing turgrass swards. Make frequent applications at lower rates, or apply higher rates at times of greater plant demand. Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.

For suggested spreader settings, visit grigg.co/greenspec-granular/

Guaranteed Analysis

Derived from ammonium sulfate, monoammonium phosphate, urea, methylene urea, soybean meal, sulfate of potash, gypsum, calcium carbonate, iron sucrate, manganese sulfate, manganese sucrate, zinc sucrate and kelp (Ascophyllum nodosum).

ALSO CONTAINS NON-PLANT FOOD INGREDIENTS:

2.5% Humic acids derived from Leonardite



SOIL AMENDMENTS

Soil Amendments

Soil amendments help improve physical and chemical soil properties by providing the correct ratios of air, soil and water necessary to help turf thrive. They add nutrients to the soil, help retain moisture and help maintain the correct pH balance. They may also help reduce compaction and aerate the soil to allow water and nutrients to move through it more easily.

GRIGG soil amendments provide supplemental nutrition and components that improve soil structure, including:

Zeolite, a naturally occurring microporous mix of silica and alumina that can be added to soil and growing media to enhance cation exchange capacity (CEC). Zeolite may be blended into a root-zone mix prior to planting to enhance establishment or injected into the root-zone. It also can be used in greenhouse nursery mixes, planting beds and containers, for landscaping, transplants, and horticultural crops. Can be used for turfgrass on all soil types, but best to use on sandy or loam (modified sand) soils.

Dolomite, an anhydrous carbonate mineral composed of calcium magnesium carbonate that helps raise the pH level of acidic soils. When soil pH is too low, soil nutrients may become bio-unavailable to plants.

Soil Types

There are three primary types of soil, which are determined by the amount of clay, silt or sand particles present.

Clay soil contains a high percentage of clay and silt. The small particles cling together to hold water and nutrients well. However, clay soil is susceptible to compaction. This can make it difficult for water and nutrients to reach plant roots and limit their growth and development.

Sandy soil is composed of larger, coarser particles. It drains quickly, but it does not hold moisture and nutrients effectively.

Loam soil has a nice balance of clay, silt, sand and organic material. It's the ideal soil type and provides adequate drainage and retention of moisture and nutrients.



RHIZO AIDE

1-0-0

GRIGG Rhizo Aide is a dry specialty product that contains tea seed meal and dolomite, which provide natural sources of nutrition. Recommended for use after aeration or similar mechanical treatment to prevent and correct nutrient deficiencies. Can be used year round, but applications from fall through spring provide optimal results.

Key Advantages

- Tea seed meal supplies nitrogen
- Dolomite is an anhydrous carbonate mineral composed of calcium magnesium carbonate that raises the pH level of acidic soils. When pH is too low, soil nutrients may become bio-unavailable to plants.
- Calcium is important for cell wall strength
- Magnesium plays a key role in chlorophyll production, which improves turf color
- Best results are achieved by watering in

Application and Use

Soil Applications: Use any conventional spreading equipment.

Tees, Greens, Fairways, Sports Fields: Initial application of 6 lb per 1000 sq ft [268 lb per acre; 300 kg per hectare]. Additional applications of 3-6 lb per 1000 sq ft

[134-268 lb per acre; 150-300 kg per hectare] may be made at 4 week intervals. Light irrigation after application is recommended for best results. Do not apply during frost conditions.

Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.



Derived from tea seed meal and dolomite.

No Phosphate Fertilizer



SPECIALTY SOIL FERTILIZERS

GRIGG specialty soil fertilizers deliver readily available nutrients to the root zone and promote root growth and overall turf quality. They are designed to complement GRIGG Proven Foliar nutrients and GRIGG GreenSpec granular nutrients.

Unlike GRIGG Proven Foliar products, specialty soil fertilizers should be watered into the root zone soon after application for best results.



IRON 12-0-0

12-0-0

GRIGG Iron 12-0-0 contains 12% nitrogen and amino acid complexed iron, manganese and zinc. It is an excellent option for fairways to improve turf vigor and color.

Key Advantages


- Contains soluble nutrients for efficient uptake and use
- Nitrogen promotes consistent turfgrass shoot growth
- Iron plays a key role in chlorophyll production, which improves turf color
- Recommended for golf and sports turf

Application and Use

Cool Season Grasses: Apply 4-12 fl oz per 1,000 sq ft or 1.25-4 gal per acre [13-40 L per hectare] as needed every 7-14 days.

Warm Season Grasses: Apply 6-15 fl oz per 1,000 sq ft or 2-5 gal per acre [20-50 L per hectare] as needed every 7-14 days.

Make frequent applications at lower rates, or apply higher rates at times of greater plant demand. Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.



Derived from urea, iron amino acid complex, manganese amino acid complex and zinc amino acid complex.



BI BLEND

10-0-0

GRIGG Bi Blend is a liquid fertilizer that contains 5% calcium and three sources of nitrogen. It improves turf strength and vigor. It may be used on all soil types and is especially beneficial in sandy soils.

Key Advantages

- Contains soluble nutrients for efficient uptake and use
- Nitrogen promotes consistent turfgrass shoot growth
- Calcium is important for cell wall strength
- GRIGG Bi Blend may be used with Grigg Rhizonify, which provides additional nutrition and an anionic surfactant

Application and Use

Cool or Warm Season Grasses

Soil Application: Apply 3-6 fl oz per 1,000 sq ft or 1-2 gal per acre [10-20 L per hectare] every 14-28 days or as needed.

Make frequent applications at lower rates, or apply higher rates at times of greater plant demand. Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.

Guaranteed Analysis

Derived from urea, urea ammonium nitrate and calcium nitrate.



BURLEY GREEN

18-2-3

GRIGG Burley Green is a liquid fertilizer that contains potassium, phosphorus, urea and slow release nitrogen. It provides extended feeding and is an excellent value for fairway applications. It may be applied foliarly or through fertigation.

Key Advantages

- Contains soluble nutrients for efficient uptake and use
- Slow release nitrogen promotes consistent turfgrass shoot growth
- Phosphorus plays a role in plant metabolic processes that transfer energy throughout the plant
- Potassium regulates primary physiological processes that impact turf response to stress and supports cellular processes that impact photosynthesis, water regulation, respiration and protein production
- GRIGG Burley Green may be used with GRIGG foliar nutrients complexed with amino acids


Application and Use

Foliar and Soil Applications: Apply as needed every 21-28 days.

Cool Season Grasses: Apply 6-9 fl oz per 1000 sq ft or 2-3 gal per acre [20-30 L per hectare].

Warm Season Grasses: Apply 9-15 fl oz per 1000 sq ft or 3-5 gal per acre [30-50 L per hectare].

Make frequent applications at lower rates, or apply higher rates at times of greater plant demand. Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.



Derived from urea, methylene diurea, methylene urea, phosphoric acid and potassium citrate.

*6% Slowly available nitrogen from methylene diurea and methylene urea.



GRIGG DISPLACE

9-0-0

GRIGG Displace is a liquid fertilizer that contains two sources of nitrogen, 12% calcium and a wetting agent. It provides superior soil penetration – even on hard-to-wet, hydrophobic soils.

Key Advantages

- Contains soluble nutrients for efficient uptake and use
- Nitrogen promotes consistent turfgrass shoot growth
- Calcium is important for cell wall strength

Application and Use

Maintenance Rate: Apply every 7-21 days. Water-in for best results or apply before rainfall.

Cool Season Grasses: 6-12 fl oz per 1,000 sq ft or 2-4 gal per acre [20-40 L per hectare].

Warm Season Grasses: 9-15 fl oz per 1,000 sq ft or 3-5 gal per acre [30-50 L per hectare].

Poor Irrigation Water Quality or Sodic Conditions: Apply every 7-10 days. Water-in for best results or apply before rainfall.

Cool Season Grasses: 9-12 fl oz per 1,000 sq ft or 3-4 gal per acre [30-40L per hectare].

Warm Season Grasses: 12-15 fl oz per 1,000 sq ft or 4-5 gal per acre [40-50L per hectare].

Make frequent applications at lower rates, or apply higher rates at times of greater plant demand. Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/ tissue test recommendation.

C	Guaranteed Analysis
Т	otal Nitrogen (N)9.0%
	8.0% Nitrate nitrogen
	1.0% Urea nitrogen
C	Calcium (Ca)

Derived from calcium nitrate and urea.

ALSO CONTAINS NON-PLANT FOOD INGREDIENTS: 2% Wetting Agent



GRIGG RHIZONIFY

6-4-4

GRIGG Rhizonify is a liquid fertilizer that contains three sources of nitrogen, phosphorus, potassium, amino acid complexed micronutrients and a wetting agent. It provides superior soil penetration – even on hard-to-wet, hydrophobic soils. This improves soil moisture uniformity and targeted nutrient placement. Recommended for golf and sports turf, particularly on areas suffering from localized dry spot.

Key Advantages

- Contains soluble nutrients for efficient uptake and use
- Nitrogen application promotes consistent turfgrass shoot growth
- Phosphorus plays a role in plant metabolic processes that transfer energy throughout the plant
- Potassium regulates primary physiological processes that impact turf response to stress and supports cellular processes that impact photosynthesis, water regulation, respiration and protein production


Application and Use

Soil Application: Apply as needed every 14-28 days. Water-in for best results or apply before rainfall.

Tees, Greens: 9-12 fl oz per 1,000 sq ft or 3-4 gal per acre [30-40 L per hectare].

Fairways, Sports Fields: 12-15 fl oz per 1,000 sq ft or 4-5 gal per acre [40-50 L per hectare].

Make frequent applications at lower rates, or apply higher rates at times of greater plant demand. Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.



Derived from monoammonium phosphate, potassium nitrate, urea, iron amino acid complex, manganese amino acid complex and zinc amino acid complex.

ALSO CONTAINS NON-PLANT FOOD INGREDIENTS: 3% Wetting Agent



PIGMENTS FOR TURFGRASS MANAGEMENT

Overview of Pigments

Pigments optimize turf color, quality and aesthetics. Other pigments provide additional benefits, including protection and increased reflection of near infrared (NIR) and UV light.

GRIGG research has documented an increase in NIR light reflectance from turf treated with GreenPIG. We continue to learn how this measurement correlates with decreased oxidative stress.

Turf managers have the ability to use colorants for a specific agronomic objective, or simply paint the turf. Applying pigment provides additional color and is an excellent alternative to overseeding.

In general, pigments and paints are chemically similar, but very different physically. For pigmented products, the formulation and inert ingredients determine its use.

Key Advantages

- Low viscosity and metal load, hence lower weight
- Compatible with tank mix partners such as crop protectants and plant growth regulators
- Designed for repeated use
- Increased reflectance of potentially damaging NIR light

Things to Consider When Choosing a Pigment

Carefully consider the turf species, stage of growth, and height of cut to determine the correct rate and application frequency. If you select a pigment, apply prior to turf dormancy (while turf is actively growing) and continue using routinely during the entire dormancy period*.

Product	Golf Applications	Sports Applications	Actively Growing Turf	Semidormant Turf	Dormant Turf	Near Infrared Protection	UV Protection
GRIGG GreenPIG			•		•		•
GRIGG GreenPIG Ultra							

- Ideal application as determined by desired results
- Possibly good results if factors considered
- Less than ideal results

*The color attained using pigmented products is very subjective and should be tested prior to extensive use in order to determine optimum rate and application interval at different sites. Products list recommended rates as a guideline. 40

GREENPIG PREMIUM TURF PIGMENTS



GRIGG GreenPIG

Flagship product that contains a high quality, concentrated pigment and provides a natural green color for up to one month. It also reflects potentially harmful near infared light, which may improve turf quality and vigor. It is recommended for general use and the low application rate provides great value.

Do NOT apply to dormant or semi-dormant turfgrass.

GRIGG GreenPIG Ultra

This formulation offers the same benefits as GRIGG GreenPIG, but provides a darker green color for up to one month. It is recommended for turf that has lost its color, including dormant turf.

Approved for use on dormant and semi-dormant turfgrass.

Optimum rate of application will vary depending on treatment interval, turfgrass species, mowing height, weather conditions and time of year. Generally, higher mowing heights and warm season turfgrasses will require higher rates to achieve the best results.

Application and Use

GRIGG GreenPig / GRIGG GreenPig Ultra

Maintenance Rate: Apply with 50-100 gallons of water [190-380 L of water]

Golf Course Putting Greens: 12-24 fl oz per acre [660 mL-1.5L per hectare]

Golf Course Fairways: 18-32 fl oz per acre [1.25-2.25 L per hectare].

Sports Fields: 24-34 fl oz per acre [1.5-2.5 per hectare].

LIQUID NUTRIENT ANALYSIS

								Nut	rient	Con	tent				
Proven Foliar Nutrients	Specific Gravity	lbs per 100 gal	На	N	P ₂ O ₅	K ₂ O	В	Ca	Со	Cu	Fe	Mg	Mn	Мо	Zn
GRIGG A-O-K	1.260 lbs of Nutrient	10.515 per gal:	7.60	2.0% 0.2103		24.0% 2.5237									
GRIGG Fairphyte	1.480 lbs of Nutrient	12.351 per gal:	6.70	1.0% 0.1235	•••••	25.0% 3.080	••••	•••••	••••••	•••••	•••••	••••••	•••••	•••••	
GRIGG Gary's Green	1.290 lbs of Nutrient	10.766 per gal:	2.90	18.0% 1.9378	3.0% 0.3230	4.0% 0.4306	•	•••••	•••••	0.12% 0.0129	1.0% 0.1077	0.5% 0.0538	0.1% 0.0108	•••••	0.1% 0.0108
GRIGG Gary's Green Ultra	1.280 lbs of Nutrient	10.682 per gal:	3.70	14.0% 1.495	2.0% 0.2136	3.0% 0.3205	0.02% 0.002	•••••	•••••	0.12% 0.0128	1.4% 0.1495	0.5% 0.0534	0.2% 0.0214	•••••	0.2% 0.0214
GRIGG Iron Combo 1-0-2	1.430 lbs of Nutrient	11.934 per gal:	2.70	1.0% 0.1193	•••••	2.0% 0.2387	0.16% 0.0191	•••••	•••••	0.13% 0.0155	4.0% 0.4774	•••••	1.0% 0.1193	••••	0.8% 0.095
GRIGG Kelplex	1.100 lbs of Nutrient	9.180 per gal:	4.54	1.0% 0.0918	2.0% 0.1836	2.0% 0.1836	•	•••••	•••••	•••••	0.1% 0.01	••••••	•••••	•••••	
GRIGG Magnesium Complex	1.230 lbs of Nutrient	10.265 per gal:	0.60	•••••	•••••	•••••	••••	••••••	•••••	•••••	•••••	5.0% 0.5132	••••••	•••••	
GRIGG Manganese Combo	1.350 lbs of Nutrient	11.266 per gal:	2.38	•••••	•••••	•••••	••••	•••••	•••••	0.4% 0.0451	•••••	1.2% 0.1352	5.0% 0.5633	•••••	1.0% 0.1127
GRIGG Micro Burst	1.330 lbs of Nutrient	11.099 per gal:	2.00	•••••	•••••	1.0% 0.1110	0.04% 0.0044	••••••	•••••	0.05% 0.0055	3.4% 0.3774	0.3% 0.0333	2.4% 0.2664	0.01% 0.0011	1.0% 0.111
GRIGG Nutra Green	1.370 lbs of Nutrient	11.433 per gal:	2.50	5.0% 0.5717	10.0% 1.1433	5.0% 0.5717	0.12% 0.0137	••••••	•••••	0.1% 0.0114	1.0% 0.1143	1.0% 0.1143	0.5% 0.0572	•••••	0.1% 0.0114
GRIGG P-K Plus	1.370 lbs of Nutrient	11.433 per gal:	7.05	3.0% 0.3430	5.0% 0.571	17.0% 1.943	0.02% 0.0023	•••••	0.01% 0.0011	•••••	•••••	•••••	•••••	0.001% 0.0001	
GRIGG Sili-Kal B	1.470 lbs of Nutrient	12.268 per gal:	1.50	8.0% 0.9814	•••••	4.0% 0.4907	0.05% 0.0061	10.0% 1.2268	•••••	•••••	•••••	•••••	••••••	•••••	
GRIGG Suprema	1.310 lbs of Nutrient	10.932 per gal:	6.30	12.0% 1.3119	•••••	12.0% 1.3119	••••	••••••	••••••	•••••	1.0% 0.1093	••••••	0.05% 0.0055	•••••	0.05% 0.0055
GRIGG Tuff Turf	1.310 lbs of Nutrient	10.932 per gal:	4.30	1.0% 0.1093	•••••	14.0% 1.5305	••••	•••••	•••••	•••••	0.5% 0.0547	0.5% 0.0547	•••••	•••••	
GRIGG Ultraplex	1.280 lbs of Nutrient	10.682 per gal:	2.90	4.0% 0.4273	•	3.0% 0.3205	0.05% 0.0053	•••••••	•••••	0.05% 0.0053	1.95% 0.208	0.5% 0.0534	0.4% 0.0427	•	0.4% 0.0427
Soil Specialty Fertilizers	Specific Gravity	lbs per 100 gal	На	N	P ₂ O ₅	K ₂ O	В	Ca	Со	Cu	Fe	Mg	Mn	Мо	Zn
GRIGG Iron 12-0-0	1.290 lbs of Nutrient	10.766	2.50	12.0% 1.2919							5.0% 0.5383		0.5% 0.0538		0.5% 0.0538
GRIGG Bi Blend	1.320 lbs of Nutrient	11.016	1.00	10.0% 1.1016	•••••	•••••	•	5.0% 0.5508	•••••	•••••	•••••	•••••	••••••	•••••	
GRIGG Burley Green	1.480 lbs of Nutrient	1.190 per gal:	8.80	18.0% 1.7876	2.0% 0.1986	3.0% 0.2979		•••••	•	•••••		•••••		•	
GRIGG Displace	1.480 lbs of Nutrient	12.350	0.75	9.0% 1.112	•	•••••	•	12.0% 1.4820	•	•••••	•	•••••		•	
GRIGG Rhizonify	1.280 lbs of Nutrient	10.682 per gal:	3.74	6.0% 0.6409	4.0% 0.4273	4.0% 0.4273	••••	•••••	••••••	•••••	0.2% 0.107	•••••	0.05% 0.0053	•••••	0.05% 0.0053

GRIGG APPLICATION GUIDELINES

Fundamental Instructions for Applications and Programs

Very Important

Most liquid products are designed to be foliar absorbed. For maximum performance, apply early in the morning or late in the evening with 1-2 gallons of water per 1,000 sq ft [300-600 L/Ha]. Allow the application to dry on plant 3-6 hours before watering.

Surfactants

GRIGG Ultraplex is a foliar nutrition product that contains a non-ionic surfactant (*Yucca schidigera*), which reduces water surface tension to improve foliar application wetting and absorption. No additional surfactant is necessary when using this product. GRIGG Ultraplex is a critical foundation product and should be the first thing added to the water of your spray tank mix. The recommended rate is 3 fl oz per 1000 sq ft [10 L/Ha].

Compatibility

GRIGG Proven Foliar nutrients are compatible with each other and most fungicides, herbicides, and pesticides when tank mixed at recommended rates. A jar test is always recommended as a part of standard operating procedure. The high degree of compatibility of the Proven Foliar line includes the ability to be mixed with other foliar applied fungicides, insecticides and herbicides that do not need to be watered in. When mixing with herbicides, consider using the lowest label rate as GRIGG products may enhance the uptake of the herbicides.

Rates

To convert 14 day programs to 7 day programs lower rates by one half (1/2) or two thirds (2/3) of original rate.

Minors

GRIGG straight chelated nutrients or any other Proven Foliar nutrient can be added to any program as indicated by soil and tissue test results. Typical rates for adding individual micronutrients range between 1-3 fl oz per 1,000 sq ft [3-10 L/Ha]. For severe deficiencies, as much as 6 fl oz per 1,000 sq ft [20 L/Ha].

Soil Specialty Nutrition Program

For sand based greens, use 1 gallon per acre [10 L/Ha] of GRIGG Bi Blend and 4 gallons per acre [40 L/Ha] of GRIGG Rhizonify applied monthly and lightly watered in. For soil based greens use 1/2 gallon per acre [5 L/Ha] of GRIGG Bi Blend and 2 1/2 gallons per acre [25 L/Ha] of GRIGG Rhizonify.

Program Balance

GRIGG Proven Foliar nutrients are an effective method of providing nutrients to the plant. However, we also recommend supplementing with GRIGG GreenSpec granular nutrients year round as determined by soil testing to complete a total program.

Intervals

Unless otherwise stated, GRIGG nutrition programs should typically be applied every 7-14 days. There is flexibility to accommodate differing management styles and between 1 to 3 weeks is acceptable if rates are adjusted accordingly.

Expertise

If you want to create site-specific programs that are tailored to the individual needs and unique factor of a site, contact your distributor or GRIGG technical representative today.

Research

GRIGG is committed to participating in ongoing independent university research trials. Our agronomists adjust recommended rates and other application guidelines in accordance with the most recent research findings. Visit grigg.co to find the latest program recommendations

SPREADER SETTINGS

GRIGG GREENSPEC Recommended Rates

GRIGG™ Turf Rally™ 16-4-8

Spreader	FAIRWAY GR	ADE - 6.25 lbs per	1,000 ft ²	GREENS GRADE - 3.12 lbs per 1,000 ft ²			
	Ground Speed / MPH	Width of Coverage / FT	Setting	Ground Speed / MPH	Width of Coverage / FT	Setting	
Scott R8	3	10	L1⁄2	3	10	I	
Spyker / Best	3	9	5.1	3	9	3.7	
Lesco	3	10	J or 22	3	10	E 1/2 or 13	
Lely (1250)	4.5	34	61⁄4	4.5	30	41⁄2	
Accupro 2000	3	10	M1⁄2	3	10	J	
Earthway	3	10	19 1⁄2	3	10	14 1⁄2	
Vicon (03 series)	4.5	28	38	4.5	22	20	

GRIGG™ Seven Iron™ 7-7-7

Spreader	FAIRWAY GI	RADE - 6.25 lbs p	er 1,000 ft²	GREENS GRADE - 8 lbs per 1,000 ft ²			
	Ground Speed / MPH	Width of Coverage / FT	Setting	Ground Speed / MPH	Width of Coverage / FT	Setting	
Scott R8	3	10	0	3	10	K 3/4	
Spyker / Best	3	9	5.7	3	9	4.6	
Lesco	3	10	K 3/4 or 25 1/2	3	10	H 1⁄2 or 19	
Lely (1250)	4.5	34	63⁄4	4.5	30	5 3⁄4	
Accupro 2000	3	10	Р	3	10	L 3/4	
Earthway	3	10	23 1⁄2	3	10	18	
Vicon (03 series)	4.5	24	39	4.5	22	30	

GRIGG™ All Natural Organic 10-2-4

Spreader	FAIRWAY G	RADE - 10 lbs per	1,000 ft²	GREENS GRADE - 5 lbs per 1,000 ft²			
	Ground Speed / MPH	Width of Coverage / FT	Setting	Ground Speed / MPH	Width of Coverage / FT	Setting	
Scott R8	3	10	*Q †	3	10	0 1/2	
Spyker / Best	3	9	8.3	3	9	5.4	
Lesco	3	10	*M or 28 †	3	10	K or 24	
Lely (1250)	4.5	30	9	4.5	28	53⁄4	
Accupro 2000	3	10	*R †	3	10	P 1⁄2	
Earthway	3	10	24 <i>1</i> /2	3	10	22 1⁄2	
Vicon (03 series)	4.5	24	57	4.5	18	31	

^{† 5} LB Rate / make two passes

GRIGG™ Endurance™ 8-4-16

Spreader	FAIRWAY G	RADE - 10 lbs per 1	1,000 ft²	GREENS GRADE - 5 lbs per 1,000 ft ²			
	Ground Speed / MPH	Width of Coverage / FT	Setting	Ground Speed / MPH	Width of Coverage / FT	Setting	
Scott R8	3	10	N 1⁄4	3	10	K	
Spyker / Best	3	9	5.5	3	9	4.2	
Lesco	3	10	K 1⁄2 or 25	3	10	F 3⁄4 or 15 1⁄2	
Lely (1250)	4.5	34	7 1⁄4	4.5	30	5 1⁄4	
Accupro 2000	3	10	O 1⁄4	3	10	L	
Earthway	3	10	21 1⁄2	3	10	15 1⁄2	
Vicon (03 series)	4.5	30	42	4.5	24	26	

Water in thoroughly after application to help speed up breakdown.

These suggested settings are only intended to aid your own calculations by providing a starting point; They are NOT intended to replace your own calibration. Please calibrate your spreader before applying product.

BERMUDA GRASS

Nutrition Programs

Southern

Every spray:		
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Gary's Green	3-6	9-20
GRIGG Ultraplex	3	10
GRIGG Manganese Combo	2	6

Plus, every other spray:		
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG P-K Plus	6	20

Any program can be adjusted to your specific needs, and your micro climate.

All foliar rates below are expressed as fluid ounces per 1,000 sq ft with liters per hectare [L/Ha] equivalents unless otherwise noted.

All GRIGG GreenSpec granular nutrient rates are expressed in lbs per 1,000 sq ft with grams per meter squared.

Low Desert

Early Spring:		
GRIGG Proven Foliar	fl oz/1,000 ft²	L/Ha
GRIGG Ultraplex	3	10
GRIGG Nutra Green	3	10
GRIGG Micro Burst	2	6
GRIGG Sili-Kal B	3	10
Late Spring transition:		
GRIGG GreenSpec	lbs/1,000 ft ²	g/m²
GRIGG Seven Iron	7	30
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Gary's Green Ultra	9	30
GRIGG Tuff Turf	3	10
Summer:		
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Gary's Green	9	30
Late Summer/early Fall:		
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG A-O-K	6	20
GRIGG Sili-Kal B	3	10
Low desert overseeding:		
GRIGG GreenSpec	lbs/1,000 ft ²	g/m²
GRIGG Seven Iron	8-12	30-50
1-2 weeks following granul14 day rotation:	ar application, a	pply on
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Gary's Green Ultra	3-9	10-30
(Rate should start a 3 fl oz aı	nd increase as turf	matures)
GRIGG P-K Plus	6	20
GRIGG Nutra Green	6	20
Winter:		
GRIGG Proven Foliar	fl oz/1,000 ft²	L/Ha
GRIGG Ultraplex	3	10
GRIGG Nutra Green	3	10
GRIGG Micro Burst	2	6

DESERT

Nutrition Programs

Overseeding

At planting and/or after the 2nd or 3rd mowing of the seedling turf:						
GRIGG GreenSpec	lbs/1,000 ft ²	g/m²				
GRIGG Seven Iron	10	40				
1-2 weeks later:						
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha				
GRIGG P-K Plus	6	20				
GRIGG Gary's Green Ultra	6	20				
1-2 months later, every 7-10) days:					
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha				
GRIGG P-K Plus	6	20				
GRIGG Gary's Green Ultra	6-9	20-30				

Rate should start at 6 fl oz [20 L/Ha] and increase as the turf matures.

Any program can be adjusted to your specific needs, and your micro climate.

All foliar rates below are expressed as fluid ounces per 1,000 sq ft with liters per hectare [L/Ha] equivalents unless otherwise noted.

All GRIGG GreenSpec granular nutrient rates are expressed in lbs per 1,000 sq ft with grams per meter squared $[g/m^2]$.

Low/High Desert Bentgrass

Low/ High Desert Be	iitgiass	
Early Spring:		
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Gary's Green Ultra	6	20
GRIGG Nutra Green	4	15
GRIGG Sili-Kal B	4	15
GRIGG Tuff Turf	4	15
Late Spring:		
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Gary's Green Ultra	6	20
GRIGG P-K Plus	6	20
GRIGG Kelplex	2	6
Summer:		
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Gary's Green Ultra	6	20
GRIGG P-K Plus	6	20
GRIGG Kelplex	2	6
GRIGG Tuff Turf	3	10
Fall:		
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Gary's Green Ultra	6	20
GRIGG P-K Plus	6	20
GRIGG Tuff Turf	4	15
GRIGG Manganese Combo	2	6
Winter:		
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Gary's Green Ultra	6	20
GRIGG Manganese Combo	2	6
GRIGG Nutra Green	4	15
GRIGG Sili-Kal B	4	15

FLOWER FOLIAR FERTILITY

Nutrition Program

Any program can be adjusted to your specific needs, and your micro climate.

All foliar rates below are expressed as fluid ounces per 1,000 sq ft with liters per hectare [L/Ha] equivalents unless otherwise noted.

Annual flowers: rotate products, drench every 7 days with one or the other		
GRIGG Proven Foliar	fl oz/gallon	L/Ha
GRIGG Nutra Green	1	4
GRIGG P-K Plus	1	4
Annual flowers: drench every 14 days		
GRIGG Proven Foliar	fl oz/gallon	L/Ha
GRIGG Nutra Green	0.5	4
GRIGG P-K Plus	0.5	4

GREAT LAKES REGION

Nutrition Programs

Any program can be adjusted to your specific needs, and your micro climate.

All foliar rates below are expressed as fluid ounces per 1,000 sq ft with liters per hectare [L/Ha] equivalents unless otherwise noted.

Spring aeration: 5-7 days	prior to aeration	
GRIGG GreenSpec	lbs/1,000 ft ²	g/m²
GRIGG Seven Iron	10	40
Spring: Mar-Apr every 7-10	O days	
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Nutra Green	6	20
GRIGG Ultraplex	6	20
Late Spring: Apr-May ever	y 7-10 days	
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Gary's Green Ultra	6-9	20-30
GRIGG P-K Plus	6	20
Summer: June-Aug every	7-10 days	
CDICC Duran Fall		
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Proven Foliar GRIGG Gary's Green Ultra	fl oz/1,000 ft² 6-9	L/Ha 20-30
GRIGG Gary's Green Ultra	6-9	20-30
GRIGG Gary's Green Ultra GRIGG P-K Plus	6-9 6 2	20-30 20
GRIGG Gary's Green Ultra GRIGG P-K Plus GRIGG Kelplex	6-9 6 2	20-30 20
GRIGG Gary's Green Ultra GRIGG P-K Plus GRIGG Kelplex Fall: Sept-Nov every 7-10	6-9 6 2 days	20-30 20 6
GRIGG Gary's Green Ultra GRIGG P-K Plus GRIGG Kelplex Fall: Sept-Nov every 7-10 GRIGG Proven Foliar GRIGG Ultraplex GRIGG P-K Plus or	6-9 6 2 days fl oz/1,000 ft²	20-30 20 6 L/Ha
GRIGG Gary's Green Ultra GRIGG P-K Plus GRIGG Kelplex Fall: Sept-Nov every 7-10 GRIGG Proven Foliar GRIGG Ultraplex	6-9 6 2 days fl oz/1,000 ft ² 3	20-30 20 6 L/Ha 10
GRIGG Gary's Green Ultra GRIGG P-K Plus GRIGG Kelplex Fall: Sept-Nov every 7-10 GRIGG Proven Foliar GRIGG Ultraplex GRIGG P-K Plus or GRIGG Tuff Turf GRIGG Rhizonify	6-9 6 2 days fl oz/1,000 ft ² 3 6	20-30 20 6 L/Ha 10 20
GRIGG Gary's Green Ultra GRIGG P-K Plus GRIGG Kelplex Fall: Sept-Nov every 7-10 of GRIGG Proven Foliar GRIGG Ultraplex GRIGG P-K Plus or GRIGG Tuff Turf	6-9 6 2 days fl oz/1,000 ft ² 3 6	20-30 20 6 L/Ha 10 20

MID-ATLANTIC REGION

Foliar and Granular Nutrition Programs

Any program can be adjusted to your specific needs, and your micro climate.

All foliar rates below are expressed as fluid ounces per 1,000 sq ft with liters per hectare [L/Ha] equivalents unless otherwise noted.

3-5 days prior to aeration a	nd the week of a	eration:
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Nutra Green	6	20
GRIGG Gary's Green Ultra	12	40
One day after aeration and	topdressing:	
GRIGG GreenSpec	lbs/1,000 ft ²	g/m²
GRIGG Seven Iron	10	40
Late Spring/early Fall: ever	y 7-10 days	
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Gary's Green Ultra	6	20
GRIGG Nutra Green	3	10
GRIGG Sili-Kal B	3	10
Summer:		
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Gary's Green Ultra	6	20
GRIGG Tuff Turf or GRIGG A-O-K	3	10
	3 6	10 20
GRIGG A-O-K		
GRIGG A-O-K GRIGG P-K Plus	6 3	20
GRIGG A-O-K GRIGG P-K Plus GRIGG Manganese Combo	6 3	20
GRIGG A-O-K GRIGG P-K Plus GRIGG Manganese Combo Applied in the "off" weeks:	6 3	20
GRIGG A-O-K GRIGG P-K Plus GRIGG Manganese Combo Applied in the "off" weeks: GRIGG Proven Foliar	6 3 fl oz/1,000 ft²	20 10 L/Ha
GRIGG A-O-K GRIGG P-K Plus GRIGG Manganese Combo Applied in the "off" weeks: GRIGG Proven Foliar GRIGG Rhizonify GRIGG Kelplex Late Fall/Winter: mid-Octo	6 3 fl oz/1,000 ft ² 6 2	20 10 L/Ha 20
GRIGG A-O-K GRIGG P-K Plus GRIGG Manganese Combo Applied in the "off" weeks: GRIGG Proven Foliar GRIGG Rhizonify GRIGG Kelplex	6 3 fl oz/1,000 ft ² 6 2	20 10 L/Ha 20
GRIGG A-O-K GRIGG P-K Plus GRIGG Manganese Combo Applied in the "off" weeks: GRIGG Proven Foliar GRIGG Rhizonify GRIGG Kelplex Late Fall/Winter: mid-Octoo	6 3 fl oz/1,000 ft² 6 2 ber to mid-Nove	20 10 L/Ha 20 6 mber
GRIGG A-O-K GRIGG P-K Plus GRIGG Manganese Combo Applied in the "off" weeks: GRIGG Proven Foliar GRIGG Rhizonify GRIGG Kelplex Late Fall/Winter: mid-Octoevery 7-10 days GRIGG Proven Foliar	6 3 fl oz/1,000 ft ² 6 2 ber to mid-Nove	20 10 L/Ha 20 6 mber L/Ha

NEW ENGLAND

Nutrition Programs

Newer Generation Creeping Bentgrass Swards

Spring Green Up/Root Ge (after 2nd mowing)	neration:	
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Nutra Green	6	20
GRIGG Gary's Green Ultra	6	20

in asing in combination v	vien iiiiiiiiii aaai	
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Micro Burst	2	6

If using in combination with *Trimmit' add:

5 days prior to aeration:		
GRIGG GreenSpec	lbs/1,000 ft ²	g/m²
GRIGG Seven Iron	10	40

Mid-Spring and into Sumn	ner:	
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Nutra Green	6	20
(P for energy transfer)		
GRIGG P-K Plus	6	20
GRIGG Sili-Kal B	4	15
GRIGG Gary's Green Ultra	12	40

Early Fall:		
GRIGG GreenSpec	lbs/1,000 ft ²	g/m²
GRIGG Turf Rally	6.25	25
(1 lb N)		
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Tuff Turf	6	20
GRIGG Nutra Green	6	20
GRIGG P-K Plus	6	20
GRIGG Gary's Green Ultra	9	30

Late Fall until just prior to dormancy:		
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Tuff Turf	6	20
GRIGG Gary's Green Ultra	6	20

^{*}Trimmit" is a registered trademark of the Syngenta Corporation

Annual Bluegrass and Creeping Bentgrass Swards

Denitgiass Swaras		
Spring green up/root gene (after 2nd mowing)	ration:	
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Nutra Green	6	20
GRIGG Gary's Green Ultra	9	30
If using in combination wit suppression or Primo add:	h PGR's for seed	head
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Micro Burst	1	3
5 days prior to aeration:		
GRIGG GreenSpec	lbs/1,000 ft ²	g/m²
GRIGG Seven Iron	10	40
Mid-Spring and into Summ	er:	
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Tuff Turf	4	15
GRIGG P-K Plus	6	20
GRIGG Gary's Green Ultra	12	40
Early Fall:		
GRIGG GreenSpec	lbs/1,000 ft ²	g/m²
GRIGG Endurance	10	40
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Tuff Turf	6	20
GRIGG Nutra Green	6	20
GRIGG P-K Plus	6	20
GRIGG Gary's Green Ultra	9	30
Late Fall until just prior to	dormancy:	
GRIGG Proven Foliar	fl oz/1,000 ft²	L/Ha
GRIGG Tuff Turf	6	20
GRIGG Gary's Green Ultra	6	20

Any program can be adjusted to your specific needs, and your micro climate.

NO PHOSPHOROUS SOLUTIONS

Nutrition Program

Any program can be adjusted to your specific needs, and your micro climate.

All foliar rates below are expressed as fluid ounces per 1,000 sq ft with liters per hectare [L/Ha] equivalents unless otherwise noted.

Spring:		
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Ultraplex	4	15
GRIGG Suprema	12	40
GRIGG A-O-K	6	20
GRIGG Manganese Combo	2	6

Summer:		
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Ultraplex	4	15
GRIGG Suprema	9	30
GRIGG Fairphyte	3	10
GRIGG Sili-Kal B	4	12

Monthly		
GRIGG GreenSpec	lbs/1,000 ft ²	g/m²
GRIGG CK-Balance	3	15

Fall:		
GRIGG Proven Foliar	fl oz/1,000 ft²	L/Ha
GRIGG Ultraplex	4	15
GRIGG Suprema	12	40
GRIGG Tuff Turf	6	20

PACIFIC NORTHWEST/UK, IRELAND

Nutrition Program

Any program can be adjusted to your specific needs, and your micro climate.

All foliar rates below are expressed as fluid ounces per 1,000 sq ft with liters per hectare [L/Ha] equivalents unless otherwise noted.

Spring - Feb-Apr: every 10-		
GRIGG Proven Foliar	fl oz/1,000 ft²	L/Ha
GRIGG Gary's Green Ultra	9	30
GRIGG Nutra Green	6	20
GRIGG P-K Plus	6	20
At Aeration:		
GRIGG GreenSpec	lbs/1,000 ft ²	g/m²
GRIGG Seven Iron	10	40
Summer - May-Sept: every	10-21 days	
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Gary's Green Ultra	9	30
GRIGG P-K Plus	6	20
GRIGG Sili-Kal B	3	10
GRIGG Micro Burst	1	4
Late May:		
GRIGG GreenSpec	lbs/1,000 ft ²	g/m²
GRIGG GreenSpec GRIGG Seven iron	12	g/m² 45
GRIGG Seven iron		
GRIGG Seven iron Late June:	12	45
GRIGG Seven iron Late June: GRIGG GreenSpec	12 lbs/1,000 ft² 7	45 g/m ²
GRIGG Seven iron Late June: GRIGG GreenSpec GRIGG 10-2-4	12 bs/1,000 ft ² 7 1 days	45 g/m ²
GRIGG Seven iron Late June: GRIGG GreenSpec GRIGG 10-2-4 Fall - Sept-Nov: every 14-2	12 bs/1,000 ft ² 7 1 days	45 g/m² 30
GRIGG Seven iron Late June: GRIGG GreenSpec GRIGG 10-2-4 Fall - Sept-Nov: every 14-2 GRIGG Proven Foliar	12 lbs/1,000 ft² 7 1 days fl oz/1,000 ft²	45 g/m² 30 L/Ha
GRIGG Seven iron Late June: GRIGG GreenSpec GRIGG 10-2-4 Fall - Sept-Nov: every 14-2 GRIGG Proven Foliar GRIGG Gary's Green Ultra	12 lbs/1,000 ft² 7 1 days fl oz/1,000 ft² 9	45 g/m² 30 L/Ha 30
GRIGG Seven iron Late June: GRIGG GreenSpec GRIGG 10-2-4 Fall - Sept-Nov: every 14-2 GRIGG Proven Foliar GRIGG Gary's Green Ultra GRIGG P-K Plus	12 lbs/1,000 ft² 7 1 days fl oz/1,000 ft² 9 6	45 g/m² 30 L/Ha 30 20
GRIGG Seven iron Late June: GRIGG GreenSpec GRIGG 10-2-4 Fall - Sept-Nov: every 14-2 GRIGG Proven Foliar GRIGG Gary's Green Ultra GRIGG P-K Plus GRIGG Tuff Turf	12 lbs/1,000 ft² 7 1 days fl oz/1,000 ft² 9 6	45 g/m² 30 L/Ha 30 20
GRIGG Seven iron Late June: GRIGG GreenSpec GRIGG 10-2-4 Fall - Sept-Nov: every 14-2 GRIGG Proven Foliar GRIGG Gary's Green Ultra GRIGG P-K Plus GRIGG Tuff Turf At aeration:	12 lbs/1,000 ft² 7 1 days fl oz/1,000 ft² 9 6 3	 g/m² 30 L/Ha 30 20 10
GRIGG Seven iron Late June: GRIGG GreenSpec GRIGG 10-2-4 Fall - Sept-Nov: every 14-2 GRIGG Proven Foliar GRIGG Gary's Green Ultra GRIGG P-K Plus GRIGG Tuff Turf At aeration: GRIGG GreenSpec	12 lbs/1,000 ft² 7 1 days fl oz/1,000 ft² 9 6 3 lbs/1,000 ft²	45 g/m² 30 L/Ha 30 20 10
GRIGG Seven iron Late June: GRIGG GreenSpec GRIGG 10-2-4 Fall - Sept-Nov: every 14-2 GRIGG Proven Foliar GRIGG Gary's Green Ultra GRIGG P-K Plus GRIGG Tuff Turf At aeration: GRIGG GreenSpec GRIGG Seven Iron	12 lbs/1,000 ft² 7 1 days fl oz/1,000 ft² 9 6 3 lbs/1,000 ft²	45 g/m² 30 L/Ha 30 20 10

ROCKY MOUNTAIN REGION

Nutrition Program

Any program can be adjusted to your specific needs, and your micro climate.

All foliar rates below are expressed as fluid ounces per 1,000 sq ft with liters per hectare [L/Ha] equivalents unless otherwise noted.

Spring: every 7-10 days 2-4 apps depending on turf con	alitia mar	
GRIGG Proven Foliar	fl oz/1,000 ft²	L/Ha
GRIGG Froven Fonal GRIGG Gary's Green Ultra	6-12	20-40
GRIGG Nutra Green	6-12	20-40
		20 40
Late Spring: every 10-14 day 2-3 apps:	/S	
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Gary's Green	9	30
GRIGG Nutra Green	6	20
GRIGG Manganese Combo	2	6
At aeration: every 7-10 days	:	
GRIGG GreenSpec	lbs/1,000 ft ²	g/m²
GRIGG Seven Iron	10	40
(0.7 lb N)		
Summer: every 10-14 days:		
CDICC Davis Falls		
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Proven Foliar GRIGG Gary's Green Ultra	fl oz/1,000 ft² 9	L/Ha 30
GRIGG Gary's Green Ultra	9	30
GRIGG Gary's Green Ultra GRIGG P-K Plus	9 6	30 20
GRIGG Gary's Green Ultra GRIGG P-K Plus GRIGG Sili-Kal B	9 6	30 20
GRIGG Gary's Green Ultra GRIGG P-K Plus GRIGG Sili-Kal B Late June:	9 6 3	30 20 10
GRIGG Gary's Green Ultra GRIGG P-K Plus GRIGG Sili-Kal B Late June: GRIGG GreenSpec	9 6 3 lbs/1,000 ft ²	30 20 10 g/m²
GRIGG Gary's Green Ultra GRIGG P-K Plus GRIGG Sili-Kal B Late June: GRIGG GreenSpec GRIGG Seven Iron	9 6 3 lbs/1,000 ft ²	30 20 10 g/m ²
GRIGG Gary's Green Ultra GRIGG P-K Plus GRIGG Sili-Kal B Late June: GRIGG GreenSpec GRIGG Seven Iron Fall: every 14 days:	9 6 3 Ibs/1,000 ft ² 7-10	30 20 10 g/m² 30-40
GRIGG Gary's Green Ultra GRIGG P-K Plus GRIGG Sili-Kal B Late June: GRIGG GreenSpec GRIGG Seven Iron Fall: every 14 days: GRIGG Proven Foliar	9 6 3 Ibs/1,000 ft ² 7-10	30 20 10 g/m² 30-40
GRIGG Gary's Green Ultra GRIGG P-K Plus GRIGG Sili-Kal B Late June: GRIGG GreenSpec GRIGG Seven Iron Fall: every 14 days: GRIGG Proven Foliar GRIGG Ultraplex	9 6 3 Ibs/1,000 ft ² 7-10 fl oz/1,000 ft ² 6	30 20 10 g/m² 30-40 L/Ha 20
GRIGG Gary's Green Ultra GRIGG P-K Plus GRIGG Sili-Kal B Late June: GRIGG GreenSpec GRIGG Seven Iron Fall: every 14 days: GRIGG Proven Foliar GRIGG Ultraplex GRIGG Tuff Turf	9 6 3 Ibs/1,000 ft ² 7-10 fl oz/1,000 ft ² 6 3	30 20 10 g/m² 30-40 L/Ha 20
GRIGG Gary's Green Ultra GRIGG P-K Plus GRIGG Sili-Kal B Late June: GRIGG GreenSpec GRIGG Seven Iron Fall: every 14 days: GRIGG Proven Foliar GRIGG Ultraplex GRIGG Tuff Turf GRIGG P-K Plus	9 6 3 Ibs/1,000 ft ² 7-10 fl oz/1,000 ft ² 6 3	30 20 10 g/m² 30-40 L/Ha 20 10
GRIGG Gary's Green Ultra GRIGG P-K Plus GRIGG Sili-Kal B Late June: GRIGG GreenSpec GRIGG Seven Iron Fall: every 14 days: GRIGG Proven Foliar GRIGG Ultraplex GRIGG Tuff Turf GRIGG P-K Plus GRIGG Manganese Combo	9 6 3 Ibs/1,000 ft ² 7-10 fl oz/1,000 ft ² 6 3	30 20 10 g/m² 30-40 L/Ha 20 10

SPORTS TURF

Nutrition Program

Any program can be adjusted to your specific needs, and your micro climate.

All foliar rates below are expressed as fluid ounces per 1,000 sq ft with liters per hectare [L/Ha] equivalents unless otherwise noted.

All GRIGG GreenSpec granular nutrient rates are expressed in lbs per 1,000 sq ft with grams per meter squared $[g/m^2]$.

Spring foliar starter: every 7-10 days		
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Nutra Green	4-6	15-20
GRIGG P-K Plus	6	20
GRIGG Ultraplex	4-6	15-20
Cool season maintenance:	every 7-10 days	
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Gary's Green Ultra	6-9	20-30
GRIGG P-K Plus	6	20
GRIGG Tuff Turf	4-6	15-20
GRIGG Sili-Kal B	4-6	15-20
Warm season maintenance	: every 7-10 days	;
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Suprema	6-12	20-40
GRIGG Ultraplex	3-6	10-20
GRIGG P-K Plus	6	20
GRIGG Tuff Turf	3-6	10-20
GRIGG Kelplex	1-3	3-10
Cool and warm soil conditioning: every 7-10 days		
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
the state of the s		

Lightly water in or apply at 132-176 gal/acre

10

GRIGG Bi Blend

TOURNAMENT

Proven Foliar Nutrition Program



To produce faster greens during tournament preparation, turf is continually cut to lower heights. It is challenging to maintain tournament conditions, whether for a special event or year around. Superintendents must promote density and quality while producing fast greens.

As mowing heights are lowered, root growth decreases and there is less leaf surface to photosynthesize. Current tournament mowing heights are typically below 1/8 inch [3-4 mm] on both cool and warm season turf. During a special event, greens are often double cut in the morning and cut again in the afternoon or evening.

Maintaining Nutrient Level and Health

In an ordinary situation a turf plant will store half of all the carbohydrates produced in the root and utilize half for sustaining life functions.

Today's putting green mowed at 1/8 inch [3 mm] or less, regardless of season, simply cannot photosynthesize enough to ensure adequate carbohydrate reserves and storage. The turf is trying to survive and needs to utilize all the carbohydrates available to do it. Therefore the plant does a poor job of storing any carbohydrate reserve in the root.

Good management practices will help turf survive and thrive even when it is being mowed so low. One important practice is maintaining the nutrient level of the plant tissue.

In addition to C, H and O_2 , which are provided by water and carbon dioxide, there are 13 essential nutrients required by all higher plants. Plant health, growth, and development are dependent on all of these elements being present at optimum concentrations. Many scientists believe that these 13 elements are critical to plant growth and survival during periods of stress.

To initiate your tournament program, spray the following recommended products and rates every 7 days:		
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha
GRIGG Gary's Green	6	20
GRIGG Ultraplex	3	10
GRIGG Sili-Kal B	3	10
Plus, every other spray:		
GRIGG P-K Plus	6	20

Any program can be adjusted to your specific needs, and your micro climate.

All foliar rates below are expressed as fluid ounces per 1,000 sq ft with liters per hectare [L/Ha] equivalents unless otherwise noted.

GRIGG chelated straight nutrients or any other Proven Foliar nutrients can be added to this program as indicated by soil and tissue test results. We also recommend the addition of GRIGG GreenSpec fertilizer in the spring and again in the fall as determined by soil testing to complete a total program.

TRANSITION ZONE

Bentgrass Nutrition Program

Any program can be adjusted to your specific needs, and your micro climate.

All foliar rates below are expressed as fluid ounces per 1,000 sq ft with liters per hectare [L/Ha] equivalents unless otherwise noted.

All GRIGG GreenSpec granular nutrient rates are expressed in lbs per 1,000 sq ft with grams per meter squared $[g/m^2]$.

Coming out of winter: Mar-Apr every 7-10 days			
GRIGG Proven Foliar	fl oz/1,000 ft²	L/Ha	
GRIGG Nutra Green	3	10	
GRIGG Sili-Kal B	3	10	
GRIGG Ultraplex	<u></u> 3	10	
One week prior to aeration:	Apr – May		
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha	
GRIGG Gary's Green	9	30	
GRIGG Ultraplex	3	10	
GRIGG Sili-Kal B	6	20	
At aeration: Apr-May			
GRIGG GreenSpec	lbs/1,000 ft ²	g/m²	
GRIGG Seven Iron	10	40	
One week after aeration: Apr	-Мау		
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha	
GRIGG Gary's Green	9	30	
Late Spring/Summer: Jun-O	ct every 10 days		
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha	
GRIGG Gary's Green	6	20	
GRIGG P-K Plus	3	10	
GRIGG Tuff Turf	3	10	
GRIGG Manganese Combo	2	6	
GRIGG Kelplex	1	3	
Fall: Oct-Nov			
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha	
GRIGG Tuff Turf or GRIGG A-O-K	3	10	
GRIGG Nutra Green	3	10	
GRIGG Ultraplex	3	10	
GRIGG Sili-Kal B	3	10	
Fall:			
GRIGG GreenSpec	lbs/1,000 ft ²	g/m²	
GRIGG Seven Iron	10	40	
Late Fall/Winter: Dec-Feb (weather permitting)			
GRIGG Proven Foliar	fl oz/1,000 ft ²	L/Ha	

3

10

GRIGG Ultraplex

AGRONOMISTS AND TECHNICAL SUPPORT

Brian Haschemeyer Director of Discovery and Innovation

Brian oversees all new formulation research, development and field testing at BRANDT. He oversees formulation development and quality control testing at BRANDT's seven laboratories and manages a team of research agronomists. Brian has nearly two decades of formulation experience and holds a B.S. degree in Chemistry from Western Illinois University.

Gary Grigg, CGCS, MG Agronomist

GRIGG co-founder, Gary Grigg, lead the company's product development and research for over 25 years. He continues to play a key role in customer agronomic education, support and consulting. Gary has over 50 years of turf and golf course management experience. He has a B.S. degree in Agriculture and Entomology and an M.S. degree in Agronomy.

GRIGG TURF RESEARCH

GRIGG is dedicated to providing customers with the highest quality turf nutrition products in the industry, backed by plant nutrition science and research.

The company has conducted hundreds of university and independent turf product trials, with a focus on new product field testing. This research, along with plant science, drives all GRIGG fertility and IPM agronomic solutions, product recommendations and nutrition program.

To see a full list of GRIGG research trials and reports, visit grigg.co.

These products may only be sold in states where registered or where registration is not required. For information regarding product availability in your area, please contact Brandt Consolidated, Inc.

The marks BRANDT, GRIGG, Proven Foliar, A-O-K, Carboplex Fairphyte, Gary's Green, Gary's Green Ultra, P-K Plus, Suprema, Tuff Turf, Turftopia, Ultraplex, GreenSpec, Burley Green, Displace, Research Driven, and Proven Results, are registered trademarks of Brandt Consolidated, Inc. All other trademarks, product names and company names that appear on this document are the property of their respective owners or licensees, who may or may not be affiliated with, connected to, or sponsored by Brandt Consolidated, Inc.





Research Driven, Proven Results®

For a distributor near you, contact:

800 300 6559 www.grigg.co

GRIGG is part of Brandt Consolidated, Inc.

2935 South Koke Mill Road Springfield, IL 62711 www.brandt.co

